(19) Europäisches Patentamt
Europ an Patent Office
Offic europ´en des brevets

(11) EP 1 035 207 A1

(12) EUROPEAN PATENT APPLICATION

(43) Date of publication:
13.09.2000 Bulletin 2000/37

(21) Application number: 99104664.0

(22) Date of filing: 09.03.1999

(51) Int Cl.7: C12N 15/53, C12N 15/11, C12N 15/85, C12N 9/02, C12N 5/10, C12Q 1/02, C07K 16/40, A61K 39/395, A61K 38/44, A01K 67/027, G01N 33/50, G01N 33/53

(84) Designated Contracting States:
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE
Designated Extension States:
AL LT LV MK RO SI

(71) Applicant: MultiGene Biotech GmbH
97074 Würzburg (DE)

(72) Inventors:
- Weber, Bernhard H.F.
97218 Gerbrunn (DE)
- Marquardt, Andreas
97218 Gerbrunn (DE)

(74) Representative: Schmidt, Werner, Dr.
Robert-Bunsen-Strasse 15
65929 Frankfurt am Main (DE)

Remarks:
The applicant has subsequently filed a sequence listing and declared, that it includes no new matter.

(54) cDNA molecules of the members of gene family encoding human fatty acid desaturases and their use in diagnosis and therapy

(57) The present invention relates to the cloning and sequencing of the cDNA molecules of three members of a gene family encoding three human fatty acid desaturases, fatty acid desaturase-1 (FADS 1), fatty acid desaturase-2 (FADS2) and fatty acid desaturase-3 (FADS3). The invention also relates to diagnostic methods of screening for and detection of FADS1, FADS2, FADS3 and gene therapy utilizing recombinant DNA as well as the generation of animal models (knock-in, knock-out, transgenic animals), anti-FADS1, anti-FADS2, anti-FADS3 antibodies and use in screenings for modulating drugs.

Fig.2



EP 1 035 207 A1

Printed by Jouve, 75001 PARIS (FR)

Description

Field of the invention

[0001] The present invention relates to the cloning and sequencing of the cDNA molecules of three members of a gene family encoding three human fatty acid desaturases, fatty acid desaturase-1 (FADS1), fatty acid desaturase-2 (FADS2) and fatty acid desaturase-3 (FADS3). The invention also relates to diagnostic methods of screening for and detection of FADS1, FADS2, FADS3 and gene therapy utilizing recombinant DNA as well as the generation of animal models (knock-in, knock-out, transgenic animals), anti-FADS1, anti-FADS2, anti-FADS3 antibodies and use in screenings for modulating drugs.

Background of the Invention

[0002] Cellular membranes are dynamic structures in which variable amounts of proteins are embedded in a lipid bilayer whose hydrophobic characteristics are largely due to fatty acid moieties of complex lipids (Singer and Nicolson 1972). The 'fluidity' of the membranes are achieved by incorporating unsaturated fatty acyl chains of varying lengths and varying degrees of unsaturation into the lipids (Stubbs and Smith 1984). In animals, some of the unsaturated fatty acids need to be supplied by the diet ('essential polyunsaturated fatty acids') but, in part, can also be synthesized de novo by oxidative desaturation (i.e. formation of double bonds) of saturated fatty acids of plant and animal origin. Polyunsaturated fatty acid formation requires acetyl-CoA dependent chain elongation and desaturation. Most mammalian tissues can modify acyl chains by introducing more than one double bond with the first one generally at the Δ-9 position between carbons C-9 and C-10. Subsequent double bonds may then be inserted at the Δ-4, Δ-5, and Δ-6 positions by individual desaturase activities (Cook 1991).

[0003] For the two major precursors of the (n-6) and (n-3) series of polyunsaturated fatty acids, linoleic 18:2(n-6) and alpha-linolenic 18:3(n-3) acids, animals depend entirely on their dietary intake. By alternating sequences of desaturation (involving the subsequent action of Δ4, Δ5- and Δ6-desaturases, respectively) and C2 chain elongation, linoleic and alpha-linolenic acids are utilized to form arachidonic acid, 20:4(n-6), and the (n-3) acyl chains eicosapentaenoic acid, 20:5(n-3), and docosahexaenoic acid, 22:6(n-3), respectively (Cook 1991).

[0004] Linoleic and arachidonic acid are the only members of the (n-6) family that accumulate in large quantities in liver and most other animal tissues. The intermediates 18:3(n-6) and 20:3(n-6) are formed from 18:2(n-6) by Δ6-desaturation, chain elongation and Δ5-desaturation (Horrobin 1993). As a component of phospholipids arachidonic acid is abundant in cellular membranes but also serves as the primary precursor of oxygenated derivatives such as prostaglandine E2 which is pro-inflammatory and regulates cell function of the immune system.

[0005] The (n-3) acyl chains eicosapentaenoic acid [20:5(n-3)] and docosahexaenoic acid (22:6(n-3)] are most abundant in cerebral cortex, retina, and spermatozoa. Although it is generally assumed that the liver is the major source of 22:6(n-3), it has been shown that docosahexaenoic acid can also be produced by retinal pigment epithelium (Wang and Anderson 1993) as well as brain astrocytes (Moore et al. 1991, Delton-Vandenbrouke et al. 1997). In retinal rod outer segments, phospholipids may contain 40-60% of 22:6(n-3) which can markedly influence membrane fluidity due to the presence of six double bonds.

[0006] In recent years there has been increasing interest in the role of polyunsaturated fatty acids in the pathobiology of a number of chronic conditions such as coronary and peripheral vascular disease (Horrobin 1995), acute and chronic inflammatory immune responses (Calder 1998, Fan and Chapkin 1998, Grimble and Tappia 1998), cutaneous abnormalities (Horrobin 1989. Grattan et al. 1990), essential hypertension (Russo et al. 1997, Chi and Gupta 1998), diabetes mellitus (Mori et al. 1997), asthma (Leichsenring et al. 1995, Villani et al. 1998, Hodge et al. 1998) and rheumatoid arthritis (James and Cleland 1997, Ariza-Ariza et al. 1998, Grimble and Tappia 1998). A particular role has been attributed to gamma-linolenic acid [18:3(n-6)] as an anti-cancer polyunsaturated fatty acid. It has been shown that 18:3 (n-6) confers anticancer properties by a variety of mechanisms such as (i) up-regulation of E-cadherin, a cell-cell adhesion molecule which acts as a suppressor of metastasis (Jiang et al. 1995), (ii) regulation of desmosome-mediated cell-cell adhesion in human cancer cells (Jiang et al. 1997a), (iii) up-regulation of the metastasis-suppressor gene nm-23 thus contributing to the inhibition of the in vitro invasion of tumor cells (Jiang et al. 1998a), (iv) up-regulation of maspin expression, a mammary serine protease inhibitor, with profound effects on motility of cancer cells (Jiang et al. 1997b) and (v) finally inhibition of cell cycle progression via regulation of phosphorylation and subsequent degradation of cell cycle inhibitors p27kip1 and p57kip2 (Jiang et al. 1998b).

[0007] To further understand lipid-related function in human health and disease additional research into fatty acid biosynthesis and metabolism is required. In particular, we need to understand the pharmacological properties, the mechanisms of action and the tissue-specific regulation of composition of the polyunsaturated fatty acids and their metabolites. This will provide additional insight into the role of the polyunsaturated fatty acids in various chronic disease states and will make it feasible to focus pharmacogenomic research on drug design and valuation with the goal of

ameliorating acute health problems associated with impaired lipid function. As a prerequisite, the genes and their gene products involved in the above-mentioned processes need to be identified and characterized.

[0008] It is the objective of the present invention to provide cDNA molecules of three novel members of the human membrane fatty acid desaturase gene family, termed FADS1, FADS2 and FADS3. The thr e genes share a nucleic acid identity of approximately 50-60% and an amino acid identity of about 77% with each other. Similar to other membrane-bound desaturases from mammals, fungi, insects, plants and cyanobacteria FADS1, FADS2 and FADS3 reveal a hydropathy profile typical of membrane-bound desaturases and share three regions of highly conserved primary sequence of the general histidine motif $HX_{2(3)}$[XH]H (Shanklin et al. 1994). The histidine residues may act as metal-chelating ligands involved in the binding of oxygen in the reaction center (Shanklin et al. 1995). Together, these features confirm FADS1, FADS2 and FADS3 as novel members of the desaturase family of fatty acyl chain-modifying enzymes.

[0009] Amino acid identity of FADS1, FADS2 and FADS3 to known desaturases (e.g. from *Arabidopsis thaliana, Brassica napus, Synechocystis spec., Borago officinalis, Helianthus annuus, Saccharomyces cerevisiae* and *Caenorhabditiselegans*) is restricted to the respective carboxy terminal regions (amino acid positions 260 to 422) revealing an overall sequence identity of approximately 27%. Interestingly, the respective amino-termini of the three novel proteins demonstrate similarities to cytochrome b5 (amino acid positions 4 to 75; Fig. 1). Cytochrome b5 is a small hemoprotein and functions as an intermediate donor in a number of oxidation/reduction reactions including e.g. the NADH-dependent Δ9 stearoyl-CoA desaturation (Strittmatter et al. 1974) or the Δ5 desaturation in cholesterol biosynthesis (Reddy et al. 1977). From the amino acid alignments we conclude that FADS1, FADS2 and FADS3 are fusion proteins consisting of a N-terminal cytochrome b5 and a C-terminal desaturase-like enzyme. From a functional point of view, this fusion of two activities may increase the efficiency of electron transport required for desaturation by covalently bringing together the presumed electron donor (cytochrome b5) and its putative acceptor (desaturase-like enzyme). Other heme fusion proteins containing the cytochrome b5 domain have been identified and represent a superfamily of fused proteins (Guiard and Lederer 1979). Besides others this superfamily includes the yeast flavocytochrome b_2, sulfite oxidase, nitrate reductase, the yeast Δ9 acyl-CoA desaturase and more recently the sunflower cytochrome b5-desaturase fusion protein (Sperling et al. 1995). The three novel desaturase-like enzymes reported herein, FADS1, FADS2 and FADS3, can be added to the growing list of members of this superfamily of fused proteins (Fig. 2).

Summary of the invention

[0010] The eukaryotic fatty acid desaturases represent a group of iron-containing enzymes that catalyze NAD(P)H- and O_2-dependent introduction of double bonds into fatty acyl chains. Impairment of desaturase activities has been implicated in a variety of human conditions including liver disease, coronary artery disease and cancer. With the present invention we are providing three isolated human cDNA molecules that encode three novel members of a cytochrome-b5-containing fusion protein with similarity to plant and lower animal desaturase enzymes, termed fatty acid desaturase-1 (FADS1) (represented by Fig. 3 and SEQ ID NO. 1), fatty acid desaturase-2 (FADS2) (represented by Fig. 4 and SEQ ID NO. 2) and fatty acid desaturase-3 (FADS3) (represented by Fig. 5 and SEQ ID NO. 3).

FADS1 protein

[0011] MAPDPVAAETAAQGPTPRYFTWDEVAQRSGCEERWLVIDRKVYNISEFTRRHPGGS RVISHYAGQDATDP-FVAFHINKGLVKKYMNSLLIGELSPEQPSFEPTKNKELTDEFREL RATVERMGLMKANHVFFLLYLLHILLLDGAAWLTL-WVFGTSFLPFLLCAVLLSAVQAQA GWLQHDFGHLSVFSTSKWNHLLHHFVIGHLKGAPASWWNHMHFQHHAKPNC-FRKD PDINMHPFFFALGKILSVELGKQKKKYMPYNHQHKYFFLIGPPALLPLYFQWYIFYFVIQ RKKWVDLAWMITFY-VRFFLTYVPLLGLKAFLGLFFIVRFLESNWFVWVTQMNHIPMHID HDRNMDWVSTQLQATCNVHKSAFNDWFSGHL-NFQIEHHLFPTMPRHNYHKVAPLVQ SLCAKHGIEYQSKPLLSAFADIIHSLKESGQLWLDAYLHQ

FADS2 protein

[0012] MGKGGNQGEGAAEREVSVPTFSWEEIQKHNLRTDRWLVIDRKVYNITKWSIQHPGG QRVIGHYAGEDAT-DAFRAFHPDLEFVGKFLKPLLIGELAPEEPSQDHGKNSKITEDFRA LRKTAEDMNLFKTNHVFFLLLLAHIIALESIA-WFTVFYFGNGWIPTLITAFVLATSQAQAG WLQHDYGHLSWRKPKWNHLVHKFVIGHLKGASANWWNHRHFQHH-AKPNIFHKDPD VNMLHVFVLGEWQPIEYGKKKLKYLPYNHQHEYFFLIGPPLLIPMYFQYQIIMTMIVHKN WVDLA-WAVSYYIRFFITYIPFYGILGALLFLNFIRFLESHWFVdNTQMNHIVMEIDQEAY RDWFSSQLTATCNVEQSFFNDWFS-GHLNFQIEHHLFPTMPRHNLHKIAPLVKSLCAK HGIEYQEKPLLRALLDIIRSLKKSGKLWLDAYLHK

FADS3 protein

[0013] MGGVGEPGPREGPAQPGAPLPTFCWEQIRAHDQPGDKWLVIERRVYDISRWAQRHP GGSRLIGHHGAEDATDAFRAFHQDLNFVRKFLQPLLIGELAPEEPSQDGPLNAQLVED FRALHQAAEDMKLFDASPTFFAFLLGHILAMEVLAWLLIYLLGPGWVPSALAAFILAISQ AQSWCLQHDLGHASIFKKSWWNHVAQKFVMGQLKGFSAHWWNFRHFQHHAKPNIF HKDPDVTVAPVFLLGESSVEYGKKKRRYLPYNQQHLYFFLIGPPLLTLVNFEVENLAY MLVCMQWADLLWAASFYARFFLSYLPFYGVPGVLLFFVAVRVLESHWFVWITQMNHI PKEIGHEKHRDWVSSQLAATCNVEPSLFTNWFSGHLNFQIEHHLFPRMPRHNYSRVA PLVKSLCAKHGLSYEVKPFLTALVDIVRSLKKSGDIWLDAYLHQ

[0014] Studies to clarify the specificity and the subcellular location of these ubiquitiously expressed fusion proteins are in progress. Also, the detailed cellular functions and dysfunctions of the desaturase-like domains are being investigated in appropriate cellular and animal systems. This will address the question whether and to which extent these novel enzymes are involved in human disease. The invention encompasses the three cDNA molecules, FADS1, FADS2, and FADS3, the nucleotide sequence of these cDNAs, and the putative amino acid sequences of the FADS1 (represented by Fig. 6 and SEQ ID NO. 4), FADS2 (represented by Fig. 7 and SEQ ID NO. 5), and FADS3 represented by Fig. 8 and SEQ ID NO. 6) proteins.

[0015] Also comprehended by this invention are oligonucleotide primers comprising the cDNA molecule or its complementary strand allowing the amplification of FADS1 (represented by Fig. 9 and SEQ ID NOS. 7-12), FADS2 (represented by Fig. 9 and SEQ ID NOS. 13-18), and FADS3 (represented by Fig. 9 and SEQ ID NOS. 19-22), by the reverse transcriptase polymerase chain reaction (RT-PCR). Such primers are particularly useful and will provide researchers and physicians with an enhanced ability to assess the role of FADS1, FADS2, and FADS3 in human disease. The present invention also relates to methods of screening for and detection of FADS1, FADS2, and FADS3 mutation carriers including prenatal FADS1, FADS2, and FADS3 screening and diagnosis.

[0016] Having provided the isolated human FADS1, FADS2, and FADS3 cDNA sequences, also comprehended by this invention are the FADS1, FADS2, and FADS3 proteins, and derivatives thereof, in aspects of diagnosis and treatment of human disease. Finally, the invention pertains to proteins which comprise the same or substantially the same amino acid sequence (at least 200 amino acids) as that represented by Figs. 6, 7, 8 and SEQ ID NOS. 4, 5, 6 or a variant of the amino acid sequences having a deletion, addition or substitution of 1 to 10 amino acids, or its salt.

[0017] Another aspect of the invention is the use of the FADS1, FADS2, and FADS3 proteins as a target for drug and gene therapy in the treatment of human disease. This includes the generation and utilization of FADS1, FADS2, and FADS3-targeted animal models (knock-in, knock-out, transgenic animals) and anti-FADS1, -FADS2, and -FADS3 antibodies that specifically detect the FADS1, FADS2, and FADS3 proteins, respectively.

[0018] The foregoing and other features and advantages of the invention will become more apparent from the following detailed description and accompanying drawings.

[0019] One aspect of the invention are the isolated cDNAs selected from the group consisting of:

(a) a polynucleotide having at least a 65 % homology, preferably at least a 80 % homology with a polynucleotide encoding a polypeptide selected from the group consisting of the polypeptides of SEQ ID NO: 4, SEQ ID NO: 5 and SEQ ID NO: 6;
(b) a polynucleotide having at least a 65 % homology, preferably at least a 80 % homology with a polynucleotide which by virtue of the redundancy of the genetic code, encodes the same polypeptide selected from the group consisting of the polypeptides of SEQ ID NO: 4, SEQ ID NO: 5 and SEQ ID NO: 6;
(c) a DNA molecule capable of hybridization under stringent conditions to a DNA molecule according to (a) or (b);
(d) a polynucleotide which is complementary to the polynucleotide of (a), (b) or (c); and
(e) a oligonucleotide comprising at least 15 consecutive nucleotides of the polynucleotide of (a), (b), (c) or (d)

(including DNAs which are synonymous to the DNAs of (a), (b), (c), (d) and (e) due to the degeneracy of the genetic code)
especially isolated cDNAs selected from the group consisting of:

(a) a polynucleotide having at least a 65 % homology, preferably at least a 80 % homology with a polynucleotide sequence selected from the group consisting of the polynucleotides of SEQ ID NO: 1, SEQ ID NO: 2 and SEQ ID NO: 3.
(b) a DNA molecule capable of hybridization under stringent conditions to a DNA molecule according to (a);
(c) a polynucleotide which is complementary to the polynucleotide of (a) or (b);
(d) a oligonucleotide comprising at least 15 consecutive nucleotides of the polynucleotide of (a), (b) or (c); and
(e) a DNA which is synonymous to the DNAs of (a), (b), (c) or (d) due to the degeneracy of the genetic code.

[0020] In the scope of the invention are polynucleotides having a polynucleotide encoding a polypeptide s lected

from the group consisting of the polypeptides of SEQ ID NO: 1, SEQ ID NO: 2 and SEQ ID NO: 3 and polynucleotides having a polynucleotide sequence selected from the group consisting of the polynucleotides of SEQ ID NO: 4, SEQ ID NO: 5 and SEQ ID NO: 6, but DNAs comprising a nucleotide sequence with at least a 65 % homology with these nucleotide sequences is also within the scope of the invention.

[0021] Furthermore within the scope of th invention are:

[0022] A recombinant vector comprising the disclosed DNA molecules.

[0023] Transgenic host cells such as COS7, fibroblast cell lines or any other tissue-specific cell lines, as well as a transgenetic host cell tranformed by the DNA or the vector, a corresponding transgenetic organism or a corresponding transgenetic knock-in or knock-out animal model.

[0024] Polypeptides and corresponding proteins comprising at least 65 %, preferably 85 %, especially 100 % of a polypeptide sequence selected from the group consisting of the polypeptides of SEQ ID NO: 1, SEQ ID NO: 2 and SEQ ID NO: 3; polypeptides comprising a polypeptide sequence with at least a 65 % homology with the said polypeptides; peptides comprising at least 15, preferably 30, especially 60 consecutive amino acids of the said polypeptides; and polypeptides having substantially the same amino acid sequence as the said polypeptides, or having a variant of the amino acid sequence of the polypeptides with a deletion, addition or substitution of 1 to 10 amino acids. The salts of the peptides and proteins are also within the scope of the invention.

[0025] A process for preparing the proteins which comprises cultivating the transformants to form the proteins.

[0026] A method of screening for modulators in well known assays using constructs such as FADS1, FADS2, and FADS3 promoter luciferase or green fluorescent protein hybrids or screening for interacting proteins or factors using state of the art technologies like the interaction trap technology to screen for interacting substances of FADS1, FADS2, and FADS3 or isolated domains of FADS1, FADS2, and FADS3.

A method of screening chemical libraries comprising transformed cell lines

[0027] A compound which alters 1 reacts with at least one epitope of the proteins and which is obtained by screening methods utilizing the FADS1, FADS2, and FADS3 cDNAs or protein molecules.

[0028] Use of antibodies against the FADS1, FADS2, and FADS3 proteins for diagnostic or therapeutic purposes.

[0029] A pharmaceutical composition comprising as an effective component of the proteins or a partial peptide of the proteins, and a pharmaceutically acceptable carrier or diluent.

[0030] The term "knock-out animal" as used herein is intended to describe an animal containing a gene which has been modified by homologous recombination. The homologous recombination event may completely disrupt the gene such that a functional gene product can no longer be produced (hence the name "knock-out") or the homologous recombination event may modify the gene such that an altered, although still functional, gene product is produced.

[0031] The term "knock-in" as used herein is intended to describe a variation of gene targeting that uses homologous recombination but allows expression of added genetic sequences in place of the endogenous gene. This approach allows the test of more subtle mutations than is allowed by a simple knock-out.

[0032] The term "epitope" describes a region on a macromolecule which is recognized by an antibody. Frequently it is in a short region of primary sequence in a protein and it is generally about 5 to 12 amino acids long (the size of the antigen binding site on an antibody). Carbohydrates, nucleic acids and other macromolecules may be antigens and have epitopes.

Detailed Description of the Invention

Materials and Methods

[0033] Isolation of the FADS1 and FADS2 cDNAs cDNA fragments corresponding to FADS1 and FADS2 were identified by direct cDNA selection. The cDNA selection was performed essentially as described (Rommens et al. 1993) with only minor modifications. Briefly, total RNA was prepared from human retina and from established human retinal pigment epithelium cell line ARPE-19 (Dunn et al. 1996). Prior to the use as templates for cDNA synthesis the isolated RNAs were separated on a 1.2% agarose gel in the presence of 3-(*N*-morpholino)propanesulfonic acid (MOPS) and formaldehyde to check their integrity (Sambrook *et al.*, 1989).

[0034] RNAs were reverse transcribed using the SUPERSCRIPT™ preamplification system for first strand cDNA synthesis (Gibco, BRL) and the $RXGT_{12}$ oligonucleotide primer (5'-CGG AAT TCT CGA GAT CTT TTT TTT TTT TT-3'). After poly(A)-tailing with terminal transferase (United States Biochemical, USB), a cDNA pool was generated by $RXGT_{12}$-primed PCR at 94°C for 1 min; 2 cycles of 94°C, 30 sec; 37°C, 1 min, 72°C, 2 min followed by 22 cycles of 94°C, 30 sec; 58°C, 30 sec and 72°C, 2 min. Prior to hybridization the cDNA pools were pre-annealed to C_ot-1 DNA (Gibco, BRL) enriched with sonicated LINE1 sequences.

[0035] Genomic PAC clones for cDNA selection were derived from 11q12-q13.1, a region known to contain the gene

underlying Best's vitelliform macular dystrophy (Stöhr et al. 1998). The assembly and orientation of the clones have been described previously (Cooper et al. 1997). Inserts from PAC clones dJ465G21 and dJ139E20 (~1 µg) were isolated by NotI digestion, purified using QIAEXII agarose gel extraction beads (Qiagen) and immobilized on Hybond-N+ membrane filters with an average concentration of 60 ng/mm^2. The insert filters were subjected to two consecutive rounds of hybridization with a starting mixture of 20 µg of retina and ARPE-19 derived cDNAs. Hybridization time was four days at 58°C in Church hybridization buffer (Church and Gilbert 1984). Filters were washed three times in 2 x SSC/0.1% SDS at room temperature, once each in 0.5 x SSC/0.1% SDS, 0.2 x SSC/0.1% SDS and 0.2 x SSC/0.05% SDS (all at 58°C). A final wash was in 2 x SSC. cDNAs were eluted in distilled H_2O by incubating for 10 min at 98°C and reamplified by PCR using the $RXGT_{12}$ oligonudeotide primer. Four µg of the reamplified cDNAs were used for a second round of hybridization. After two rounds of selection the cDNAs were amplified using the $RXGT_{12}$ oligonucleotide primer, digested with EcoRI and cloned into the EcoRI site of pBluescript (Stratagene).

[0036] The selected cDNAs represent segments of the 3'-untranslated region (3'-UTR) of FADS1 (clone IVC4 at FADS1 nucleotide position 3793-4204; clone IVB7 at nucleotide position 3132-3609; done VIIC6 at nucleotide position 2077-2317) (Fig. 3) and of the 3' UTR/coding sequence of FADS2 (done IVB8 at FADS2 nucleotide position 2626-3009; clone TUK8-4B at nucleotide position 753-1508) (Fig. 4).

[0037] Using the selected clone sequences extensive dbEST database searches were conducted and revealed a large number of additional overlapping expressed sequence tags (ESTs). More than 100 ESTs (e.g. zk09h08, EST177650, yb28c03, ym29b05, yx67h05) were assembled to an overlapping EST contig representing FADS1. The assembled EST sequences contain an open reading frame (ORF) of 1410 bp, with a first potential in-frame translation initiation codon, ATG, starting 79 nucleotides downstream the most 5'end of EST clone zk09h08.r1 (GenBank acc. no. AA029030) (Fig. 1a). A consensus polyadenylation signal, AAUAAA, was identified at nucleotide position 4.182. The mature protein predicted from the ORF consists of 444 amino acid residues resulting in a calculated molecular mass of 52.0 kDa (Fig. 6).

[0038] Another 30 overlapping ESTs (e.g. cp2485.seq, HSC2EA121, EST06759, ym42c04, nc08c05) were found facilitating the assembly of the FADS2 cDNA. The assembled EST sequences contain an open reading frame (ORF) of 1352 bp, with a first potential in-frame translation initiation codon, ATG, starting 21 nucleotides downstream the most 5'end of EST done ub64e01.r1 (GenBank acc. no. AI036465) (Fig. 4). Consensus polyadenylation signals were predicted at nucleotide positions 2.996 and 4.056. The mature FADS2 protein predicted from the ORF consists of 444 amino acid residues resulting in a calculated molecular mass of 52.3 kDa (Fig. 7). Amino acid sequence identity between FADS1 and FADS2 is 62%.

Isolation of the FADS3 cDNA

[0039] Additional 30 human EST clones were available to assemble a third individual cDNA, termed FADS3 (e.g. zs84e06, zs84e05, nq23f05, ya49a19, zs86h09). The existence of a third member of the FADS family was confirmed by PCR mapping of FADS1-, FADS2- and FADS3-specific 3'-UTR fragments revealing three distinct gene loci within a 1.4 Mb PAC contig in 11q12-q13.1 (Cooper *et al.*, 1997). The assembled EST sequences contain an open reading frame (ORF) of 1468 bp, with a first potential in-frame translation initiation codon, ATG, starting 134 nucleotides downstream the most 5'end of EST clone qa99d06.s1 (GenBank acc. no. AI123992) (Fig. 5). The mature protein predicted from the ORF consists of 445 amino acid residues resulting in a calculated molecular mass of 51.2 kDa (Fig. 8). The 3'-UTR of the FADS3 cDNA is represented by several EST clones (e.g. zs86h09.s1, AA279632). A potential polyadenylation signal, AUUAAA, is present at cDNA nucleotide position 1.757 and may be functional as AUUAAA is the most common natural variant of the consensus polyadenylation signal AAUAAA (Fig. 5) (Sheets *et al.*, 1990).

[0040] Amino acid sequence identities between FADS1 and FADS3 as well as between FADS2 and FADS3 are 52% and 63%, respectively. All EST sequences in the dbEST databases could be aligned to one of the three cDNAs, FADS1, FADS2, and FADS3. This suggests that there are no additional members of the FADS family in the human genome.

Northern blot analysis

[0041] Northern blot analysis was performed either with total RNA isolated using the guanidinium thiocyanate method (Chomczynski and Sacchi 1987) or with commercially available multiple tissue Northern (MTN) blots purchased from Clontech Laboratories Inc. (Palo Alto, CA). Each lane of the total RNA blot contained 12 µg of total RNA from lung, cerebellum, uterus, retina, liver, heart, RPE cell line ARPE-19, RPE tissue, lymphocytes and was electrophoretically separated in the presence of formaldehyde. The MTN blots were prepared from poly(A)$^+$ RNA isolated from human heart, brain, placenta, lung, liver, skeletal muscle, kidney and pancreas. Inserts of clones IVC4, IVB7 (FADS1), IVB8 (FADS2) and of the 362 bp PCR product F3/R (5'-ACAGCTTTCCCCCAATTCTC-3'/5'-GGCCTCAGCTACGAAGT-GAAG-3') (FADS3) derived from the 3'-UTRs of the respective genes were used for filter hybridization at 65°C in 0.5 mM sodium phosphate buffer, pH 7.2; 7% SDS, 1 mM EDTA at 65°C (Church and Gilbert 1984).

[0042] The three genes are ubiquitiously expressed and appear to have similar expression levels in all tissues analyzed. FADS1 revealed a transcript size of 4.0 kb while FADS2 revealed a similar sized transcript of 4.0 kb in addition to a smaller transcript of approximately 3.1 kb. The two FADS2 variants may be due to differential usage of polyadenylation signals (see above). Finally, FADS3 is represented by two transcripts of 1.75 kb and 1.25 kb in size. While the former is in agreement with the usage of the variant polyadenylation signal identified at position 1738 of the cDNA, the small size of the latter transcript can not be explained at present and it does not appear to be due to a differential usage of polyadenylation signals. Possibly, differential splicing and/or exon skipping may be involved in the generation of the variant transcript. However, there is no evidence from cDNA cloning or EST contig assembly to support this possibility.

Comparison with other desaturases

[0043] Local sequence alignments of the deduced amino acid sequences of FADS1, FADS2, and FADS3 with known proteins or protein motifs were done using SwissProt (http://www.ncbi.nlm.nih.gov/cgi-bin/Blast/nph-blast?Jform=0) and the BLASTP and BEAUTY programs at Baylor College of Medicine (http://dot.imgen.bcm.tmc.edu:9331/seq-search/protein-search.html). Amino acid sequence alignments were performed using the CLUSTALW multiple alignment program at http://pbil.ibcp.fr/NPSA/npsa_clustalw.html. Phylogenetic tree assembly was done using the TREECON software Version 1.3b available at http://bioc-www.uia.ac.be/u/yvdp/index.html.

[0044] Overall amino acid identities to known desaturases were found to be in the range of 22% - 27% (Fig. 1). Phylogenetic tree construction revealed a genetic relationship of FADS1, FADS2, and FADS3 to the Δ5-, Δ6- and Δ8-desaturases with some distance to the Δ9-desaturases (Fig. 2). From these analyses it becomes obvious that sequence identity by itself is not a predictor of a specific desaturase activity. For example, Δ5- and Δ6-desaturases from C. elegans demonstrate a higher sequence identity to each other than to the Δ6-desaturases from other species. We therefore conclude that based on simple sequence comparisons it is not feasible to determine the specific functions of FADS1, FADS2, and FADS3. This will be done by transgene expression of the three desaturases combined with gas chromatograpy-mass spectometry.

[0045] Hydropathy plots of FADS1, FADS2, and FADS3 indicate two hydrophiobic sequences predicted to represent transmembrane-spanning domains similar to other desaturases identified thus far (Fig. 1) (reviewed in Sperling et al. 1995).

cDNA amplification of FADS1, FADS2, and FADS3

[0046] The coding sequences of the three genes are amplified in overlapping fragments by performing RT-PCR using oligonucleotide primer pairs derived from the respective cDNA sequences:

(1) FADS1 (Fig. 9 and SEQ ID NOS. 7-12)

[0047] Sense primer TU12-R5 (5'-CGCCTGACAGCCCCTGCT-3') at cDNA position 31-48 in combination with antisense primer TU12-F10 (5'-CAGGTGGCCAATCACAAAAT-3') at cDNA position 671-690 results in a product of 660 bp; sense primer TU12-R7 (5'-CTCAAAGTGGAACCATCTGCTA-3') at cDNA position 645-666 in combination with antisense primer TU12-F9 (5'-GGAAACCCAGTCCATGTTCC-3') at cDNA position 1130-1149 results in a product of 505 bp; sense primer TU12-R6 (5'-CCTGGGCCTTTTCTTCATAGT-3') at cDNA position 1035-1055 in combination with antisense primer TU12-F5 (5'-CTCAAGCTCCCCTCTGCCT-3') at cDNA position 1465-1483 results in a product of 449 bp.

(2) FADS2 (Fig. 9 and SEQ ID NOS. 13-18)

[0048] Sense primer TU13-R4 (5'-TCAGAAGCATAACCTGCGC-3') at cDNA position 98-116 in combination with antisense primer TU13-F7 (5'-CCAGTTCACCAATCAGCAGG-3') at cDNA position 284-303 results in a product of 206 bp; sense primer TU13-R3 (5'-CCCCTGCTGATTGGTGAACT-3') at cDNA position 282-301 in combination with antisense primer TU13-F4 (5'-TGTAGGGCAGGTATTTCAGC -3') at cDNA position 779-798 results in a product of 517 bp; sense primer TU13-R2 (5'-AGCCCATCGAGTACGGCAA-3') at cDNA position 754-772 in combination with antisense primer TU13-F1 (5'-CCTCAGAACAAAAGCCCATC-3') at cDNA position 1416-1435 results in a product of 682 bp.

(3) FADS3 (Fig. 9 and SEQ ID NOS. 19-22)

[0049] Sense primer TU19-R2 (5'-TCTTGCTCGGACCTCGGC-3') at LLCDL3 cDNA position 81-98 in combination with antisense primer TU19-F2 (5'-GTGATCCACACGAACCAGTG-3') at cDNA position 1130-1149 position results in a product of 1069 bp; sens primer TU19-R3 (5'-GAAGAACCCAGCCAGGATG-3') at cDNA position 428-446 in com-

bination with antisense primer TU19-F3 (5'-ACAGCTTTCCCCCAATTCTC-3') at cDNA position 1709-1728 results in a product of 1301 bp.

Short description of Figur s

[0050]

Fig. 1 Comparison of putative amino acid sequences from FADS1, FADS2, FADS3, Borago officinalis, Helianthus annuus and human cytochrome b5. Arrowheads indicate eight invariant amino acid residues typical for the cytochrome b5 domain. Two potential transmembrane domains are boxed. Three histidine motifs $HX_{2(3)}[XH]H$ that are conserved within the desaturase family are hatched.
Fig. 2 Phylogenetic tree of fatty acid desaturases.
Fig. 3 (SEQ ID NO. 1) shows the nucleotide sequence of the FADS1 cDNA
Fig. 4 (SEQ ID NO. 2) shows the nucleotide sequence of the FADS2 cDNA
Fig. 5 (SEQ ID NO. 3) shows the nucleotide sequence of the FADS33 cDNA
Fig. 6 (SEQ ID NO. 4) shows the putative amino acid sequence of the predicted FADS1 protein
Fig. 7 (SEQ ID NO. 5) shows the putative amino acid sequence of the predicted FADS2 protein
Fig. 8 (SEQ ID NO. 6) shows the putative amino acid sequence of the predicted FADS3 protein
Fig. 9 (SEQ ID NOS. 7-22) shows the oligonucleotide PCR primers utilized to amplify the FADS1, FADS2, FADS3 cDNA, respectively.

References

[0051] Ariza-Ariza R, Mestanza-Peralta M, Cardiel MH. Omega-3 fatty acids in rheumatoid arthritis: an overview. Semin Arthritis Rheum 27: 366-370 (1998)

Calder PC. Immunoregulatory and anti-inflammatory effects of n-3 polyunsaturated fatty acids. Braz J Med Biol Res 31: 467-490 (1998)

Chi Y, Gupta RK. Alterations in membrane fatty acid unsaturation and chain length in hypertension as observed by 1H NMR spectroscopy. Am J Hypertens 11: 340-348 (1998)

Chomczynski, P. and Sacchi, N. Single-step method of RNA isolation by acid guanidinium thiocyanate-phenol-chloroform extraction. Anal Biochem 162: 156-159 (1987)

Church, G.M., and W. Gilbert. Genomic sequencing. Proc Natl Acad Sci USA 81:1991-1995 (1984)

Cook HW. Fatty acid desaturation and chain elongation in eucaryotes. In: Biochemistry of lipids, lipoproteins and membranes, Vance DE & Vance JE (eds), Elsevier Amsterdam London, New York, pp.141-169 (1991)

Cooper P, Nowak NJ, Higgins MJ, Simpson SA, Stöhr H, Marquardt A, Weber BHF, Gerhard DS, deJong P, Shows TB. A sequence ready high resolution physical map of the Best's macular dystrophy gene region in 11q12-q13. Genomics 41: 185-192 (1997)

Delton-Vandenbrouke I, Grammas P, Anderson RE. Polyunsaturated fatty acid metabolism in retinal and cerebral microvascular endothelial cells. J Lipid Res 38:147-159(1997)

Dunn KC, Aotaki-Keen AE, Putkey FR, Hjelmeland LM. ARPE-19, a human retinal pigment epithelial cell line with differentiated properties. Exp Eye Res 62: 155-169 (1996)

Fan YY, Chapkin RS. Importance of dietary gamma-linolenic acid in human health and nutrition. J Nutr 128: 1411-1414 (1998)

Grattan C, Burton JL, Manku M, Stewart C, Horrobin DF. Essential-fatty-acid metabolites in plasma phospholipids in patients with ichthyosis vulgaris, acne vulgaris and psoriasis. Clin Exp Dermatol 15:174-176 (1990)

Grimble RF, Tappia PS. Modulation of pro-inflammatory cytokine biology by unsaturated fatty acids. Z Ernährungswiss 37 (Suppl 1): 57-65 (1998)

Guiard B, Lederer F. The "cytochrome b5 fold": structure of a novel protein superfamily. J Mol Biol 135: 639-50 (1979)

Hodge L, Salome CM, Hughes JM, Liu-Brennan D, Rimmer J, Allman M, Pang D, Armour C, Woolcock AJ. Eff ct of dietary intake of omega-3 and omega-6 fatty acids on severity of asthma in children. Eur Respir J 11: 361-536 (1998)

Horrobin DF. Abnormal membrane concentrations of 20 and 22-carbon essential fatty acids: a common link between risk factors and coronary and peripheral vascular disease? Prostaglandins Leukot Essent Fatty Acids 53: 385-396 (1995)

Horrobin DF. Essential fatty acids in clinical dermatology. J Am Acad Dermatol 20: 1045-1053 (1989)

Horrobin DF. Fatty acid metabolism in health and disease: the role of Δ6-desaturase. Am J Clin Nutr 57(5 Suppl): 732S-737S (1993)

James MJ, Cleland LG. Dietary n-3 fatty acids and therapy for rheumatoid arthritis. Semin Arthritis Rheum 27: 85-97 (1997)

Jiang WG, Bryce RP, Horrobin DF, Mansel RE. gamma-Linolenic acid blocks cell cycle progression by regulating phosphorylation of p27kip1 and p57kip2 and their interactions with other cycle regulators in cancer cells. Int J Oncol 13: 611-617 (1998b)

Jiang WG, Hiscox S, Bryce RP, Horrobin DF, Mansel RE. The effects of n-6 polyunsaturated fatty acids on the expression of nm-23 in human cancer cells. Br J Cancer 77: 731-738 (1998a)

Jiang WG, Hiscox S, Hallett MB, Horrobin DF, Mansel RE, Puntis MC. Regulation of the expression of E-cadherin on human cancer cells by gamma-linolenic acid (GLA). Cancer Res 55: 5043-5048 (1995)

Jiang WG, Hiscox S, Horrobin DF, Bryce RP, Mansel RE. Gamma linolenic acid regulates expression of maspin and the motility of cancer cells. Biochem Biophys Res Commun 237: 639-644 (1997b)

Jiang WG, Singhrao SK, Hiscox S, Hallett MB, Bryce RP, Horrobin DF, Puntis MC, Mansel RE. Regulation of desmosomal cell adhesion in human tumor cells by polyunsaturated fatty acids. Clin Exp Metastasis 15: 593-602 (1997a)

Leichsenring M, Kochsiek U, Paul K. (n-6)-Fatty acids in plasma lipids of children with atopic bronchial asthma. Pediatr Allergy Immunol 6: 209-212 (1995)

Moore SA, Yoder E, Murphy S, Dutton GR, Spector AA. Astrocytes, not neurons, produce docosahexaenoic acid (22:6 omega-3) and arachidonic acid (20:4 omega-6). J Neurochem 56: 518-524 (1991)

Mori Y, Murakawa Y, Katoh S, Hata S, Yokoyama J, Tajima N, Ikeda Y, Nobukata H, Ishikawa T, Shibutani Y. Influence of highly purified eicosapentaenoic acid ethyl ester on insulin resistance in the Otsuka Long-Evans Tokushima Fatty rat, a model of spontaneous non-insulin-dependent diabetes mellitus. Metabolism 46: 1458-1464 (1997)

Reddy VV, Kupfer D, Caspi E. Mechanism of C-5 double bond introduction in the biosynthesis of cholesterol by rat liver microsomes. J Biol Chem 252: 2797-2801 (1977)

Rommens JM, Lin B, Hutchinson GB, Andrew SE, Goldberg YP, Glaves ML, Graham R, Lai V, McArthur J, Nasir J, Theilmann J, McDonald H, Kalchman M, Clarke LA, Schappert K, Hayden MR. A transcription map of the region containing the Huntington disease gene, Hum Mol Genet 2: 901-907 (1993)

Russo C, Olivieri O, Girelli D, Guarini P, Pasqualini R, Azzini M, Corrocher R. Increased membrane ratios of metabolite to precursor fatty acid in essential hypertension. Hypertension 29: 1058-1063 (1997)

Sambrook J, Fritsch EF, Maniatis T. Molecular Cloning, A Laboratory Manual, 2nd Edition, Cold Spring Harbor

Laboratory Press, USA (1989)

Shanklin J, Whittle E, Fox BG. Eight histidine residues are catalytically essential in a membrane-associated iron enzyme, stearoyl-CoA desaturase, and are conserved in alkane hydroxylase and xylene monooxygenase. Biochem 33: 12787-12794 (1994)

Shanklin J, Whittle EJ, Fox BG. Membrane bound desaturases and hydroxylases: Structure function studies, in *Plant lipid metabolism,* Kader JC, Mazliak P (eds), Kluwer Academic Publishers, Netherlands, pp.18-20 (1995).

Sheets MD, Ogg SC, Wickens MP. Point mutations in AAUAAA and the poly (A) addition site: effects on the accuracy and efficiency of cleavage and polyadenylation in vitro. Nucl Acid Res 18: 5799-5805 (1990)

Singer SJ, Nicolson GL. The fluid mosaic model of the structure of cell membranes. Science 175: 720-731 (1972)

Sperling P, Schmidt H, Heinz E. A cytochrome b5-containing fusion protein similar to plant acyl lipid desaturases. Eur J Biochem 232: 798-805 (1995)

Stöhr H, Marquardt A, Rivera A, Cooper PR, Nowak NJ, Shows TB, Gerhard DS, Weber BHF. A gene map of the Best's vitelliform macular dystrophy region in chromosome 11q12-q13.1. Genome Res 8: 48-56 (1998)

Strittmatter P, Spatz L, Corcoran D, Rogers MJ, Setlow B, Redline R. Purification and properties of rat liver microsomal stearyl coenzyme A desaturase. Proc Natl Acad Sci USA 71: 4565-4569 (1974)

Stubbs CD, Smith AD. The modification of mammalian membrane polyunsaturated fatty acid composition in relation to membrane fluidity and function. Biochim Biophys Acta 779: 89-137 (1984)

Villani F, Comazzi R, De Maria P, Galimberti M. Effect of dietary supplementation with polyunsaturated fatty acids on bronchial hyperreactivity in subjects with seasonal asthma. Respiration 65: 265-269 (1998)

Wang N, Anderson RE. Synthesis of docosahexaenoic acid by retina and retinal pigment epithelium. Biochemistry 32: 13703-13709 (1993)

Annex to the application documents - subsquently filed sequences listing

[0052]

SEQUENCE LISTING

(1) GENERAL INFORMATION:

(i) APPLICANT:
(A) NAME: MultiGen Biotech GmbH
(B) STREET: Am Hubland
(C) CITY: Wuerzburg
(D) STATE: -
(E) COUNTRY: Germany
(F) POSTAL CODE (ZIP): 97074
(G) TELEPHONE: 0931-7058-4340
(H) TELEFAX: 0931-7058-4355
(I) TELEX: -

(ii) TITLE OF INVENTION: cDNA molecules of the members of a gene family encoding human fatty acid desaturases and their use in diagnosis and therapy

(iii) NUMBER OF SEQUENCES: 22

(iv) COMPUTER READABLE FORM:
(A) MEDIUM TYPE: Floppy disk
(B) COMPUTER: IBM PC compatible
(C) OPERATING SYSTEM: PC-DOS/MS-DOS
(D) SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)

(2) INFORMATION FOR SEQ ID NO: 1:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 444 amino acids
(B) TYPE: amino acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(ix) FEATURE:
(A) NAME/KEY: Protein
(B) LOCATION:1..444

(2) INFORMATION FOR SEQ ID NO: 1:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 4204 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(ix) FEATURE:
(A) NAME/KEY: exon
(B) LOCATION:1..4204

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 1:

CACTCCTGGA GCCCGCGGAC CCCGAGCACG CGCCTGACAG CCCCTGCTGG CCCGGCGCGC 60

GGCGTCGCCA GGCCAGCTAT GGCCCCCGAC CCGGTGGCCG CCGAGACCGC
GGCTCAGGGA 120

CCTACCCCGC GCTACTTCAC CTGGGACGAG GTGGCCCAGC GCTCAGGGTG
CGAGGAGCGG 180

TGGCTAGTGA TCGACCGTAA GGTGTACAAC ATCAGCGAGT TCACCCGCCG
GCATCCAGGG 240

GGCTCCCGGG TCATCAGCCA CTACGCCGGG CAGGATGCCA CGGATCCCTT
TGTGGCCTTC 300

CACATCAACA AGGGCCTTGT GAAGAAGTAT ATGAACTCTC TCCTGATTGG
AGAACTGTCT 360

CCAGAGCAGC CCAGCTTTGA GCCCACCAAG AATAAAGAGC TGACAGATGA
GTTCCGGGAG 420

CTGCGGGCCA CAGTGGAGCG GATGGGGCTC ATGAAGGCCA ACCATGTCTT
CTTCCTGCTG 480

TACCTGCTGC ACATCTTGCT GCTGGATGGT GCAGCCTGGC TCACCCTTTG
GGTCTTTGGG 540

ACGTCCTTTT TGCCCTTCCT CCTCTGTGCG GTGCTGCTCA GTGCAGTTCA
GGCCCAGGCT 600

GGCTGGCTGC AGCATGACTT TGGGCACCTG TCGGTCTTCA GCACCTCAAA
GTGGAACCAT 660

CTGCTACATC ATTTTGTGAT TGGCCACCTG AAGGGGGCCC CCGCCAGTTG
GTGGAACCAC 720

ATGCACTTCC AGCACCATGC CAAGCCCAAC TGCTTCCGCA AAGACCCAGA
CATCAACATG 780

CATCCCTTCT TCTTTGCCTT GGGGAAGATC CTCTCTGTGG AGCTTGGGAA
ACAGAAGAAA 840

AAATATATGC CGTACAACCA CCAGCACAAA TACTTCTTCC TAATTGGGCC
CCCAGCCTTG 900

CTGCCTCTCT ACTTCCAGTG GTATATTTTC TATTTTGTTA TCCAGCGAAA
GAAGTGGGTG 960

GACTTGGCCT GGATGATTAC CTTCTACGTC CGCTTCTTCC TCACTTATGT
GCCACTATTG 1020

GGGCTGAAAG CCTTCCTGGG CCTTTTCTTC ATAGTCAGGT TCCTGGAAAG
CAACTGGTTT 1080

GTGTGGGTGA CACAGATGAA CCATATTCCC ATGCACATTG ATCATGACCG
GAACATGGAC 1140

TGGGTTTCCA CCCAGCTCCA GGCCACATGC AATGTCCACA AGTCTGCCTT
CAATGACTGG 1200

TTCAGTGGAC ACCTCAACTT CCAGATTGAG CACCATCTTT TTCCCACGAT
GCCTCGACAC 1260

AATTACCACA AAGTGGCTCC CCTGGTGCAG TCCTTGTGTG CCAAGCATGG
CATAGAGTAC 1320

CAGTCCAAGC CCCTGCTGTC AGCCTTCGCC GACATCATCC ACTCACTAAA
GGAGTCAGGG 1380

CAGCTCTGGC TAGATGCCTA TCTTCACCAA TAACAACAGC CACCCTGCCC
AGTCTGGAAG 1440

AAGAGGAGGA AGACTCTGGA GCCAAGGCAG AGGGGAGCTT GAGGGACAAT
GCCACTATAG 1500

TTTAATACTC AGAGGGGGTT GGGTTTGGGG ACATAAAGCC TCTGACTCAA
ACTCCTCCCT 1560

TTTATCTTCT AGCCACAGTT CTAAGACCCA AAGTGGGGGG TGGACACAGA
AGTCCCTAGG 1620

AGGGAAGGAG CTGTTGGGGC AGGGGTGTAA ATTATTTCCT TTTTCTAGTT
TGGCACATGC 1680

AGGTAGTTGG TGAACAGAGA GAACCAGGAG GGTAACAGAA GAGGAGGGAC
CTACTGAACC 1740

CAGAGTCAGG AAGAGATTTA ACACTAAAAT TCCACTCATG CCGGGCGTGG
TGCACGCGCC 1800

TGTAATCCCA GCTACCCAGG AGGCTGAGGC AGGAGAATCG CTTGAACCGG
GGAGGTGGAG 1860

GTTGCAGTGA GCTGAGATCA CGCCATTGTA CTCCAGCCTG GGCGACAGAG
CAAGACTCCA 1920

TTTCAAAAAA AAAAAAAAAA AAAAAAATCC ACTCATATAA AAGGTGAGCT
CAGCTCACTG 1980

GTCCATTTCT CAGTGGCTTC TCCATCCTCA TTTGCAAACC TCAGAGGGAT
AAGGCAGTTG 2040

AACCTGATGA GCAAGAATTA TAACAGCAAG GAAACATTAA TGCTTAGAAT
TCTGAGATCC 2100

AGCACAACTC AGTCTGTGGG AGCTCAGCTC GCTGCCCAGG GATAGGTATG
ACCTATGTCT 2160

GCCTTAGGCT GCTGGGAGAT GCCATTCTCC AGTTTCAGAA GCAGGCAGGG
CAAAGGTCAA 2220

GACTGTGGTA TTGGGGTCTT TTGGCTCTGA AGGATCCTGG AACCACTGAT
TTTGGTTTAT 2280

TCCCTCCAGG GTCTAAAGAG AACAAGAGGT GCTAGCTCTT ACCAAAACAG
ATGGTAGAGA 2340

GAGTTGCTGG CTATTTAAAA AGCTCTTTCA TCTTTTAATT CACCTCTTCT
TTTCACCTCT 2400

TTAACCACTC CTCAGGAACA GAACACTTCT AGGACTGGGG GTCTTTTAGC
TCCATAAGCA 2460

AGTGAGCAGA TGGGACAAGT TAGTCTTTTC TCCCTAGAAA CAAAGGGGAT
GCCCAGTGGT 2520

TTCCCTTTGC TTCCCAACCT AAAATTTCAA GTTTAATAAA ATAGCAATTA
GCAGAAGTGA 2580

CCAAATTGGG AGATAATTAT CAGTCATGAG GAAAGACACA GATTTCGGTC
ATAAAGAATG 2640

TAAGGGCTAT AAGTAGAAAC TTTCTATAAC CTAAATGATG TTATAGAATT
ATTTTTGAGC 2700

AGGAGCAGAA AGATTAAATA TGATCACTTC ATACTTCTAA ATCAGAAATA
GGAAGATTAA 2760

AACCACAGAA CAGTTTGTGA TTTCTATTGC TGGTAGCTAG GTATCTTACT
CTGTCCACTC 2820

TTGTTCAAGT ATCTAACTCT TCTGGAAACC AAATAGGCTT TAGAAGAGAT
TATCCTATAT 2880

TCCTATCAGT ATAATACTAA AATGTAACTT TTTAATCATC TGGTTTTTAA
AAGATAAACA 2940

GTTTAGCCCA TCTCTCCAGA GAGCAAACAT AGGAATATGA CTCAGGAGCC
TCCTAGGGCT 3000

TATCATCAGC CCTCACACCC GCTTCCCCCT CCAACCCACA GCCTTTGCTT
CCAGGTGGCA 3060

GGATTACTAC TTTGCCTCTT CAGCAGCATC TACTCTAGGC ATATTGATCA
TTTTAGACAC 3120

TGGGAGAAGA GAACCTCAAA CTAGGAGGAA AAGACAGAGC CTCCACTTAG
TTTTGGGAGG 3180

GGATGGCAGA CAGTCAAGGA GATGAGCGTC CTAAGGCATG TTGGGATAGG
GTCAGATGCA 3240

CCACCCATGG AGAGGTTTGT CAACACAAAG ACATGGAAGG TTAGAGGTTT
GTCAACAAAA 3300

AGACATGGAA GGTTAGGTTT GTCAACACAA AGACATGGAA GATTAGAGGT
TTGTCAACAC 3360

AAAGATACAG GAAGAATGGG CTGCAGAAGA TTTAGATGTT TTCCATTTGG
GCACATTTTA 3420

CTTAGCTGGA GAACTAGGTT TAAAACAGCC TGGGTAGGAA AATTAGAAGC
AAGCTGGATG 3480

CAGTGGCTCA TGCCTGTAAT CCCAACACTT TTGGGAGGTC CAGGCAGGAG
GATCACTTGG 3540

GCCCAGGAGG TCAAGCCTGC AGCGAGCTGA GATCACACCA CTGCACTCCA
GCCTGGGGTG 3600

ATAGAACAAG ACCCTGTCTC AAAAAAAAAA AAAAACAACA AAAACTTAGA
ATTGAGGAGT 3660

TGTACCTCCA TTGGCTTCCT CACTCCAAAA TAGGTGCTGA TCCTTCCTAT
TCCTATTCTT 3720

TGCCACCTTT TGGGTGTGGT GTCACCAGCC TGTTTAGCCA AGTAGCTTTG
GGCATAGGCT 3780

GCCCAATCTG AGCAAACACC AGTGAGGCTC TATTGAGCAA GACCAAGTCC
TCAAAGCACC 3840

TGAACCACTG TGGCCTTCTC AGCCTACAGC AGTGTGGTCT CTTACATGGC
CACAAAGGGA 3900

CACACAGTGA CAAAAGGCTC GGAATGTTAC AATGGTAAAA TGAGTGATCT
CAAATCCACT 3960

GACAGATATA AAATAGGCTT AGAGAGGAAA AGCTGCCTCT GGTCAAGTAG
ATCATGGCAG 4020

CATGAATTCC AACTCACTTT TTTACGAACT CCAACTTCTA TGTTTATCTT
TGTTACTTTC 4080

ACTTTTTTAC AACCTGCAGA GGCATTTTTT AAATCAGGCC CAATATCAGT
ATTCTTTTTG 4140

TGTGTGCCAA TTTTGTTATC ACATCCCTAT GAAGTTGAAA AATAAAGTTA
ATTTTGACCA 4200

AAAG 4204

(2) INFORMATION FOR SEQ ID NO: 2:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 4089 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(ix) FEATURE:
(A) NAME/KEY: exon
(B) LOCATION:1..4089

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 2:

CGTCACAGTC GGCAGGCAGC ATGGGGAAGG GAGGGAACCA GGGCGAGGGG
GCCGCCGAGC 60

GCGAGGTGTC GGTGCCCACC TTCAGCTGGG AGGAGATTCA GAAGCATAAC
CTGCGCACCG 120

ACAGGTGGCT GGTCATTGAC CGCAAGGTTT ACAACATCAC CAAATGGTCC
ATCCAGCACC 180

CGGGGGGCCA GCGGGTCATC GGGCACTACG CTGGAGAAGA TGCAACGGAT
GCCTTCCGCG 240

CCTTCCACCC TGACCTGGAA TTCGTGGGCA AGTTCTTGAA ACCCCTGCTG
ATTGGTGAAC 300

TGGCCCCGGA GGAGCCCAGC CAGGACCACG GCAAGAACTC AAAGATCACT
GAGGACTTCC 360

GGGCCCTGAG GAAGACGGCT GAGGACATGA ACCTGTTCAA GACCAACCAC
GTGTTCTTCC 420

TCCTCCTCCT GGCCCACATC ATCGCCCTGG AGAGCATTGC ATGGTTCACT
GTCTTTTACT 480

TTGGCAATGG CTGGATTCCT ACCCTCATCA CGGCCTTTGT CCTTGCTACC
TCTCAGGCCC 540

AAGCTGGATG GCTGCAACAT GATTATGGCC ACCTGTCTGT CTACAGAAAA
CCCAAGTGGA 600

ACCACCTTGT CCACAAATTC GTCATTGGCC ACTTAAAGGG TGCCTCTGCC
AACTGGTGGA 660

ATCATCGCCA CTTCCAGCAC CACGCCAAGC CTAACATCTT CCACAAGGAT
CCCGATGTGA 720

ACATGCTGCA CGTGTTTGTT CTGGGCGAAT GGCAGCCCAT CGAGTACGGC
AAGAAGAAGC 780

TGAAATACCT GCCCTACAAT CACCAGCACG AATACTTCTT CCTGATTGGG
CCGCCGCTGC 840

TCATCCCCAT GTATTTCCAG TACCAGATCA TCATGACCAT GATCGTCCAT
AAGAACTGGG 900

TGGACCTGGC CTGGGCCGTC AGCTACTACA TCCGGTTCTT CATCACCTAC
ATCCCTTTCT 960

ACGGCATCCT GGGAGCCCTC CTTTTCCTCA ACTTCATCAG GTTCCTGGAG
AGCCACTGGT 1020

TTGTGTGGGT CACACAGATG AATCACATCG TCATGGAGAT TGACCAGGAG
GCCTACCGTG 1080

ACTGGTTCAG TAGCCAGCTG ACAGCCACCT GCAACGTGGA GCAGTCCTTC
TTCAACGACT 1140

GGTTCAGTGG ACACCTTAAC TTCCAGATTG AGCACCACCT CTTCCCCACC
ATGCCCCGGC 1200

ACAACTTACA CAAGATCGCC CCGCTGGTGA AGTCTCTATG TGCCAAGCAT
GGCATTGAAT 1260

ACCAGGAGAA GCCGCTACTG AGGGCCCTGC TGGACATCAT CAGGTCCCTG
AAGAAGTCTG 1320

GGAAGCTGTG GCTGGACGCC TACCTTCACA AATGAAGCCA CAGCCCCCGG
GACACCGTGG 1380

GGAAGGGGTG CAGGTGGGGT GATGGCCAGA GGAATGATGG GCTTTTGTTC
TGAGGGGTGT 1440

CCGAGAGGCT GGTGTATGCA CTGCTCACGG ACCCCATGTT GGATCTTTCT
CCCTTTCTCC 1500

TCTCCTTTTT CTCTTCACAT CTCCCCCATA GCACCCTGCC CTCATGGGAC
CTGCCCTCCC 1560

TCAGCCGTCA GCCATCAGCC ATGGCCCTCC CAGTGCCTCC TAGCCCCTTC
TTCCAAGGAG 1620

CAGAGAGGTG GCCACCGGGG GTGGCTCTGT CCTACCTCCA CTCTCTGCCC
CTAAAGATGG 1680

GAGGAGACCA GCGGTCCATG GGTCTGGCCT GTGAGTCTCC CCTTGCAGCC
TGGTCACTAG 1740

GCATCACCCC CGCTTTGGTT CTTCAGATGC TCTTGGGGTT CATAGGGGCA
GGTCCTAGTC 1800

GGGCAGGGCC CCTGACCCTC CCGGCCTGGC TTCACTCTCC CTGACGGCTG
CCATTGGTCC 1860

ACCCTTTCAT AGAGAGGCCT GCTTTGTTAC AAAGCTCGGG TCTCCCTCCT
GCAGCTCGGT 1920

TAAGTACCCG AGGCCTCTCT TAAGATGTCC AGGGCCCCAG GCCCGCGGGC
ACAGCCAGCC 1980

CAAACCTTGG GCCCTGGAAG AGTCCTCCAC CCCATCACTA GAGTGCTCTG
ACCCTGGGCT 2040

TTCACGGGCC CCATTCCACC GCCTCCCCAA CTTGAGCCTG TGACCTTGGG
ACCAAAGGGG 2100

GAGTCCCTCG TCTCTTGTGA CTCAGCAGAG GCAGTGGCCA CGTTCAGGGA
GGGGCCGGCT 2160

GGCCTGGAGG CTCAGCCCAC CCTCCAGCTT TTCCTCAGGG TGTCCTGAGG
TCCAAGATTC 2220

TGGAGCAATC TGACCCTTCT CCAAAGGCTC TGTTATCAGC TGGGCAGTGC
CAGCCAATCC 2280

CTGGCCATTT GGCCCCAGGG GACGTGGGCC CTGCAGGCTG CAGGAGGGCA
CTGGAGCTGG 2340

GAGGTCTCGT CCCAGCCCTC CCCATCTCGG GGCTGCTGTG TGGACGGCGC
TGCCTCAGGC 2400

ACTCTCCTGT CTGAACCTGC CCTTACTGTG TTTAACCTGT TGCTCCAGGA
TGCATTCTGA 2460

TAGGAGGGGG CGGCAGGGCT GGGCCTTGTG ACAATCTGCC TTTCACCACA
TGGCCTTGCC 2520

TCGGTGGCCC TGACTGTCAG GGAGGGCCAG GGAGGCAGAG CGGGAGGGAG
TCTCAGGAGG 2580

AGGCTGCCCT GAGGGGCTGG GGAGGGGGTA CCTCATGAGG ACCAGGGTGG
AGCTGAGAAG 2640

AGGAGGAGGT GGGGGCTGGA GGTGCTGGTA GCTGAGGGGA CGGGCAAGTG
AGAGGGGAGG 2700

GAGGGAAGTC CTGGGAGGAT CCTGAGCTGC TGTTGCAGTC TAACCCACTA
ATCAGTTCTT 2760

AGATTCAGGG GAAGGGCAGG CACCAACAAC TCAGAATGGG GGCTTTCGGG
GAGGGCGCCT 2820

AGTCCCCCCA GCTCTAAGCA GCCAGGAGGG ACCTGCATCT AAGCATCTGG
GTTGCCATGG 2880

CAATGGCATG CCCCCCAGCT ACTGTATGCC CCCGACCCCC GCAGAGGCAG
AATGAACCCA 2940

TAGGGAGCTG ATCGTAATGT TTATCATGTT ACTTCCCCAC CCCTACATTT
TTTGAAATAA 3000

AATAAGGAAT TTTATTCTCA CTTCCTGTGT TTCCTGCACG CCAATGCCAG
GCCATGGTAT 3060

TGGGTGATAG ATGAGGCCCT TCTAGCTGGG CCTGGGCACC AGGAGGGGTC
CCCATGCTTG 3120

CATCTCTCTG TATCCCCTCC CTCCCCTGTG GCCATCCCAC CCGCCTCTCC
CTGCTGCCTC 3180

TGAAATTCAT TCTGGGGCCC GGAACTTGGT GGAAATGACC CAAAAACATT
GGCCCATCTT 3240

CCTCCTCTCA GCAGCCGACC CCAGCCCAAT TCTAAAACAG GGCTGAGAGC
CACCTCTCAG 3300

CAGCTGACCC CTACCCAAGG AGGGTGGCAT GGAGGGGCTT GCAGAGACTC
TTCCTAACAT 3360

CCTCCCCCCC CAGCTGTCTC CCCAAGTGCA ATCTGCCCTC CCATCCCTGG
GCCAGCCAGC 3420

TTCCACAGAG CGCCAGGCCA AACAGAATTC CTGGCCTCCT TGGAAGGGGC
TGGAGAAGGC 3480

CGGGAGCAGT GGCTCACGCC TGTAATCCCA GCACTTTGGG AGGCTGAGGC
GGGCAGATCA 3540

CAAAGTCAAG AGATTGAGAC CATCCTGGCC AACATGGTGA AACCCCGTCT
CTACTAAAAA 3600

TACAAAAATT AGGCCGGGTG CGGTGGCTCA CGCCTGTAAT CCCAGCACTT
TGGGAGGCCG 3660

AGGCGGGCAG ATCACGAGGT CAGGAGATCA AGACCATCCT GGCTAACACG
GTGAAACCCC 3720

GTCTCTACTA AAAATACAAA AAATTAGCTG GGCGAGGTGG CGGGTGCCTG
TAGTCCCAGC 3780

TACGTGGGAG GCTGAGGCAA GAGAATGGCG TGAACCCCGG CGGGGCAGAG
CCTGCAGAGA 3840

GCTGAGATCA CACCACTGTA CTCCAGCCTG GGCGACAGCG AGACTCCGTC
TCAAAAAAAA 3900

AAAAAAAAAA AATTAGCTGG GCATGGTGGT GCGTGCCTGC AGTCCCAGCT
ACTCAGGAGG 3960

CTGAGACGGG AGAATCGCTT GAACCTGGGA GGCAGAGGTT GCAGTGAGCC
AAGATCGCTC 4020

ACTCCAGCCT AGCGACAGAG TGAGACTCCA TCTCAAATAA ATAAATAAAT
TAATTAATTA 4080

AATTAAATT 4089

(2) INFORMATION FOR SEQ ID NO: 3:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 1757 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(ix) FEATURE:
(A) NAME/KEY: exon
(B) LOCATION:1..1757

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 3:

GGCCGCGGCG GCAGGGCGGG GCCGGAGCAG CGGGCGGCGG CGGAGGCGGC
GCCCGGGAGC 60

GCTCTTCGCT TCCCTCGGGG TCTTGCTCGG ACCTCGGCCA CCGCCTGGGA
TCCCCAGGAC 120

TCGTGCGTGC AGCATGGGCG GCGTCGGGGA GCCGGGACCG CGGGAGGGAC
CCGCGCAGCC 180

GGGGGCACCG CTGCCCACCT TCTGCTGGGA GCAGATCCGC GCGCACGACC
AGCCCGGCGA 240

CAAGTGGCTG GTCATCGAGC GCCGCGTCTA CGACATCAGC CGCTGGGCAC
AGCGGCACCC 300

AGGGGGCAGC CGCCTCATCG GCCACCACGG CGCTGAGGAC GCCACGGATG
CCTTCCGTGC 360

CTTCCATCAA GATCTCAATT TTGTGCGCAA GTTCCTACAG CCCCTGTTGA
TTGGAGAGCT 420

GGCTCCGGAA GAACCCAGCC AGGATGGACC CCTGAATGCG CAGCTGGTCG
AGGACTTCCG 480

AGCCCTGCAC CAGGCAGCCG AGGACATGAA GCTGTTTGAT GCCAGTCCCA
CCTTCTTTGC 540

TTTCCTACTG GGCCACATCC TGGCCATGGA GGTGCTGGCC TGGCTCCTTA
TCTACCTCCT 600

GGGTCCTGGC TGGGTGCCCA GTGCCCTGGC CGCCTTCATC CTGGCCATCT
CTCAGGCTCA 660

GTCCTGGTGT CTGCAGCATG ACCTGGGCCA TGCCTCCATC TTCAAGAAGT
CCTGGTGGAA 720

CCACGTGGCC CAGAAGTTCG TGATGGGGCA GCTAAAGGGC TTCTCCGCCC
ACTGGTGGAA 780

CTTCCGCCAC TTCCAGCACC ACGCCAAGCC CAACATCTTC CACAAAGACC
CAGACGTGAC 840

GGTGGCGCCC GTCTTCCTCC TGGGGGAGTC ATCCGTCGAG TATGGCAAGA
AGAAACGCAG 900

ATACCTACCC TACAACCAGC AGCACCTGTA CTTCTTCCTG ATCGGCCCGC
CGCTGCTCAC 960

CCTGGTGAAC TTTGAAGTGG AAAATCTGGC GTACATGCTG GTGTGCATGC
AGTGGGCGGA 1020

TTTGCTCTGG GCCGCCAGCT TCTATGCCCG CTTCTTCTTA TCCTACCTCC
CCTTCTACGG 1080

CGTCCCTGGG GTGCTGCTCT TCTTTGTTGC TGTCAGGGTC CTGGAAAGCC
ACTGGTTCGT 1140

GTGGATCACA CAGATGAACC ACATCCCCAA GGAGATCGGC CACGAGAAGC
ACCGGGACTG 1200

GGTCAGCTCT CAGCTGGCAG CCACCTGCAA CGTGGAGCCC TCACTTTTCA
CCAACTGGTT 1260

CAGCGGGCAC CTCAACTTCC AGATCGAGCA CCACCTCTTC CCCAGGATGC
CGAGACACAA 1320

CTACAGCCGG GTGGCCCCGC TGGTCAAGTC GCTGTGTGCC AAGCACGGCC
TCAGCTACGA 1380

AGTGAAGCCC TTCCTCACCG CGCTGGTGGA CATCGTCAGG TCCCTGAAGA
AGTCTGGTGA 1440

CATCTGGCTG GACGCCTACC TCCATCAGTG AAGGCAACAC CCAGGCGGGC
AGAGAAGGGC 1500

TCAGGGCACC AGCAACCAAG CCAGCCCCGG CGGGATCGAT ACCCCCACCC
CTCCACTGGC 1560

CAGCCTGGGG GTGCCCTGCC TGCCCTCCTG GTACTGTTGT CTTCCCCTCG
GCCCCCTCAC 1620

ATGTGTATTC AGCAGCCCTA TGGCCTTGGC TCTGGGCCTG ATGGGACAGG
GGTAGAGGGA 1680

AGGTGAGCAT AGCACATTTT CCTAGAGCGA GAATTGGGGG AAAGCTGTTA
TTTTTATATT 1740

AAAATACATT CAGATGT 1757

(2) INFORMATION FOR SEQ ID NO: 4:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 444 amino acids
(B) TYPE: amino acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(ix) FEATURE:
(A) NAME/KEY: Protein
(B) LOCATION:1..444

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 4:

```
Met Ala Pro Asp Pro Val Ala Ala Glu Thr Ala Ala Gln Gly Pro Thr
1               5                  10                  15

Pro Arg Tyr Phe Thr Trp Asp Glu Val Ala Gln Arg Ser Gly Cys Glu
            20                  25                  30

Glu Arg Trp Leu Val Ile Asp Arg Lys Val Tyr Asn Ile Ser Glu Phe
        35                  40                  45

Thr Arg Arg His Pro Gly Gly Ser Arg Val Ile Ser His Tyr Ala Gly
    50                  55                  60

Gln Asp Ala Thr Asp Pro Phe Val Ala Phe His Ile Asn Lys Gly Leu
65                  70                  75                  80

Val Lys Lys Tyr Met Asn Ser Leu Leu Ile Gly Glu Leu Ser Pro Glu
                85                  90                  95

Gln Pro Ser Phe Glu Pro Thr Lys Asn Lys Glu Leu Thr Asp Glu Phe
            100                 105                 110

Arg Glu Leu Arg Ala Thr Val Glu Arg Met Gly Leu Met Lys Ala Asn
        115                 120                 125

His Val Phe Phe Leu Leu Tyr Leu Leu His Ile Leu Leu Leu Asp Gly
    130                 135                 140

Ala Ala Trp Leu Thr Leu Trp Val Phe Gly Thr Ser Phe Leu Pro Phe
145                 150                 155                 160

Leu Leu Cys Ala Val Leu Leu Ser Ala Val Gln Ala Gln Ala Gly Trp
                165                 170                 175

Leu Gln His Asp Phe Gly His Leu Ser Val Phe Ser Thr Ser Lys Trp
            180                 185                 190

Asn His Leu Leu His His Phe Val Ile Gly His Leu Lys Gly Ala Pro
        195                 200                 205

Ala Ser Trp Trp Asn His Met His Phe Gln His His Ala Lys Pro Asn
    210                 215                 220

Cys Phe Arg Lys Asp Pro Asp Ile Asn Met His Pro Phe Phe Phe Ala
225                 230                 235                 240
```

```
Leu Gly Lys Ile Leu Ser Val Glu Leu Gly Lys Gln Lys Lys Lys Tyr
                245                 250                 255

Met Pro Tyr Asn His Gln His Lys Tyr Phe Phe Leu Ile Gly Pro Pro
            260                 265                 270

Ala Leu Leu Pro Leu Tyr Phe Gln Trp Tyr Ile Phe Tyr Phe Val Ile
        275                 280                 285

Gln Arg Lys Lys Trp Val Asp Leu Ala Trp Met Ile Thr Phe Tyr Val
    290                 295                 300

Arg Phe Phe Leu Thr Tyr Val Pro Leu Leu Gly Leu Lys Ala Phe Leu
305                 310                 315                 320

Gly Leu Phe Phe Ile Val Arg Phe Leu Glu Ser Asn Trp Phe Val Trp
                325                 330                 335

Val Thr Gln Met Asn His Ile Pro Met His Ile Asp His Asp Arg Asn
            340                 345                 350

Met Asp Trp Val Ser Thr Gln Leu Gln Ala Thr Cys Asn Val His Lys
        355                 360                 365

Ser Ala Phe Asn Asp Trp Phe Ser Gly His Leu Asn Phe Gln Ile Glu
    370                 375                 380

His His Leu Phe Pro Thr Met Pro Arg His Asn Tyr His Lys Val Ala
385                 390                 395                 400

Pro Leu Val Gln Ser Leu Cys Ala Lys His Gly Ile Glu Tyr Gln Ser
                405                 410                 415

Lys Pro Leu Leu Ser Ala Phe Ala Asp Ile Ile His Ser Leu Lys Glu
            420                 425                 430

Ser Gly Gln Leu Trp Leu Asp Ala Tyr Leu His Gln
        435                 440
```

(2) INFORMATION FOR SEQ ID NO: 5:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 444 amino acids
(B) TYPE: amino acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(ix) FEATURE:
(A) NAME/KEY: Protein
(B) LOCATION:1..444

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 5:

```
Met Gly Lys Gly Gly Asn Gln Gly Glu Gly Ala Ala Glu Arg Glu Val
1               5                  10                  15

Ser Val Pro Thr Phe Ser Trp Glu Glu Ile Gln Lys His Asn Leu Arg
            20                  25                  30

Thr Asp Arg Trp Leu Val Ile Asp Arg Lys Val Tyr Asn Ile Thr Lys
        35                  40                  45

Trp Ser Ile Gln His Pro Gly Gly Gln Arg Val Ile Gly His Tyr Ala
    50                  55                  60

Gly Glu Asp Ala Thr Asp Ala Phe Arg Ala Phe His Pro Asp Leu Glu
65                  70                  75                  80

Phe Val Gly Lys Phe Leu Lys Pro Leu Leu Ile Gly Glu Leu Ala Pro
                85                  90                  95

Glu Glu Pro Ser Gln Asp His Gly Lys Asn Ser Lys Ile Thr Glu Asp
            100                 105                 110

Phe Arg Ala Leu Arg Lys Thr Ala Glu Asp Met Asn Leu Phe Lys Thr
        115                 120                 125

Asn His Val Phe Phe Leu Leu Leu Leu Ala His Ile Ile Ala Leu Glu
    130                 135                 140

Ser Ile Ala Trp Phe Thr Val Phe Tyr Phe Gly Asn Gly Trp Ile Pro
145                 150                 155                 160

Thr Leu Ile Thr Ala Phe Val Leu Ala Thr Ser Gln Ala Gln Ala Gly
                165                 170                 175

Trp Leu Gln His Asp Tyr Gly His Leu Ser Val Tyr Arg Lys Pro Lys
            180                 185                 190

Trp Asn His Leu Val His Lys Phe Val Ile Gly His Leu Lys Gly Ala
        195                 200                 205

Ser Ala Asn Trp Trp Asn His Arg His Phe Gln His His Ala Lys Pro
    210                 215                 220

Asn Ile Phe His Lys Asp Pro Asp Val Asn Met Leu His Val Phe Val
225                 230                 235                 240
```

```
Leu Gly Glu Trp Gln Pro Ile Glu Tyr Gly Lys Lys Lys Leu Lys Tyr
                245                 250                 255

Leu Pro Tyr Asn His Gln His Glu Tyr Phe Phe Leu Ile Gly Pro Pro
            260                 265                 270

Leu Leu Ile Pro Met Tyr Phe Gln Tyr Gln Ile Ile Met Thr Met Ile
        275                 280                 285

Val His Lys Asn Trp Val Asp Leu Ala Trp Ala Val Ser Tyr Tyr Ile
    290                 295                 300

Arg Phe Phe Ile Thr Tyr Ile Pro Phe Tyr Gly Ile Leu Gly Ala Leu
305                 310                 315                 320

Leu Phe Leu Asn Phe Ile Arg Phe Leu Glu Ser His Trp Phe Val Trp
                325                 330                 335

Val Thr Gln Met Asn His Ile Val Met Glu Ile Asp Gln Glu Ala Tyr
            340                 345                 350

Arg Asp Trp Phe Ser Ser Gln Leu Thr Ala Thr Cys Asn Val Glu Gln
        355                 360                 365

Ser Phe Phe Asn Asp Trp Phe Ser Gly His Leu Asn Phe Gln Ile Glu
    370                 375                 380

His His Leu Phe Pro Thr Met Pro Arg His Asn Leu His Lys Ile Ala
385                 390                 395                 400

Pro Leu Val Lys Ser Leu Cys Ala Lys His Gly Ile Glu Tyr Gln Glu
                405                 410                 415

Lys Pro Leu Leu Arg Ala Leu Leu Asp Ile Ile Arg Ser Leu Lys Lys
            420                 425                 430

Ser Gly Lys Leu Trp Leu Asp Ala Tyr Leu His Lys
        435                 440
```

(2) INFORMATION FOR SEQ ID NO: 6:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 445 amino acids
(B) TYPE: amino acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(ix) FEATURE:
(A) NAME/KEY: Protein
(B) LOCATION:1..445

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 6:

```
Met Gly Gly Val Gly Glu Pro Gly Pro Arg Glu Gly Pro Ala Gln Pro
1               5                  10                  15

Gly Ala Pro Leu Pro Thr Phe Cys Trp Glu Gln Ile Arg Ala His Asp
            20                  25                  30

Gln Pro Gly Asp Lys Trp Leu Val Ile Glu Arg Arg Val Tyr Asp Ile
        35                  40                  45

Ser Arg Trp Ala Gln Arg His Pro Gly Gly Ser Arg Leu Ile Gly His
    50                  55                  60

His Gly Ala Glu Asp Ala Thr Asp Ala Phe Arg Ala Phe His Gln Asp
65                  70                  75                  80

Leu Asn Phe Val Arg Lys Phe Leu Gln Pro Leu Leu Ile Gly Glu Leu
                85                  90                  95

Ala Pro Glu Glu Pro Ser Gln Asp Gly Pro Leu Asn Ala Gln Leu Val
            100                 105                 110

Glu Asp Phe Arg Ala Leu His Gln Ala Ala Glu Asp Met Lys Leu Phe
        115                 120                 125

Asp Ala Ser Pro Thr Phe Phe Ala Phe Leu Leu Gly His Ile Leu Ala
    130                 135                 140

Met Glu Val Leu Ala Trp Leu Leu Ile Tyr Leu Leu Gly Pro Gly Trp
145                 150                 155                 160

Val Pro Ser Ala Leu Ala Ala Phe Ile Leu Ala Ile Ser Gln Ala Gln
                165                 170                 175

Ser Trp Cys Leu Gln His Asp Leu Gly His Ala Ser Ile Phe Lys Lys
            180                 185                 190

Ser Trp Trp Asn His Val Ala Gln Lys Phe Val Met Gly Gln Leu Lys
        195                 200                 205

Gly Phe Ser Ala His Trp Trp Asn Phe Arg His Phe Gln His His Ala
    210                 215                 220

Lys Pro Asn Ile Phe His Lys Asp Pro Asp Val Thr Val Ala Pro Val
225                 230                 235                 240
```

```
Phe Leu Leu Gly Glu Ser Ser Val Glu Tyr Gly Lys Lys Lys Arg Arg
                245                 250                 255

Tyr Leu Pro Tyr Asn Gln Gln His Leu Tyr Phe Phe Leu Ile Gly Pro
            260                 265                 270

Pro Leu Leu Thr Leu Val Asn Phe Glu Val Glu Asn Leu Ala Tyr Met
        275                 280                 285

Leu Val Cys Met Gln Trp Ala Asp Leu Leu Trp Ala Ala Ser Phe Tyr
    290                 295                 300

Ala Arg Phe Phe Leu Ser Tyr Leu Pro Phe Tyr Gly Val Pro Gly Val
305                 310                 315                 320

Leu Leu Phe Phe Val Ala Val Arg Val Leu Glu Ser His Trp Phe Val
                325                 330                 335

Trp Ile Thr Gln Met Asn His Ile Pro Lys Glu Ile Gly His Glu Lys
            340                 345                 350

His Arg Asp Trp Val Ser Ser Gln Leu Ala Ala Thr Cys Asn Val Glu
        355                 360                 365

Pro Ser Leu Phe Thr Asn Trp Phe Ser Gly His Leu Asn Phe Gln Ile
    370                 375                 380

Glu His His Leu Phe Pro Arg Met Pro Arg His Asn Tyr Ser Arg Val
385                 390                 395                 400

Ala Pro Leu Val Lys Ser Leu Cys Ala Lys His Gly Leu Ser Tyr Glu
                405                 410                 415

Val Lys Pro Phe Leu Thr Ala Leu Val Asp Ile Val Arg Ser Leu Lys
            420                 425                 430

Lys Ser Gly Asp Ile Trp Leu Asp Ala Tyr Leu His Gln
        435                 440                 445
```

(2) INFORMATION FOR SEQ ID NO: 7:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 18 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(ix) FEATURE:
(A) NAME/KEY: exon
(B) LOCATION:1..18

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 7:

TCGTCCCCGA CAGTCCGC 18

(2) INFORMATION FOR SEQ ID NO: 8:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 20 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(ix) FEATURE:
(A) NAME/KEY: exon
(B) LOCATION:1..20

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 8:

TAAAACACTA ACCGGTGGAC 20

(2) INFORMATION FOR SEQ ID NO: 9:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 22 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(ix) FEATURE:
(A) NAME/KEY: exon
(B) LOCATION:1..22

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 9:

ATCGTCTACC AAGGTGAAAC TC 22

(2) INFORMATION FOR SEQ ID NO: 10:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 20 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(ix) FEATURE:
(A) NAME/KEY: exon
(B) LOCATION:1..20

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 10:

CCTTGTACCT GACCCAAAGG 20

(2) INFORMATION FOR SEQ ID NO: 11:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 21 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(ix) FEATURE:
(A) NAME/KEY: exon
(B) LOCATION:1..21

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 11:

TGATACTTCT TTTCCGGGTC C 21

(2) INFORMATION FOR SEQ ID NO: 12:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 19 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(ix) FEATURE:
(A) NAME/KEY: exon
(B) LOCATION:1..19

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 12:

TCCGTCTCCC CTCGAACTC 19

(2) INFORMATION FOR SEQ ID NO: 13:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 19 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(ix) FEATURE:
(A) NAME/KEY: exon
(B) LOCATION:1..19

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 13:

CGCGTCCAAT ACGAAGACT 19

(2) INFORMATION FOR SEQ ID NO: 14:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 20 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(ix) FEATURE:
(A) NAME/KEY: exon
(B) LOCATION:1..20

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 14:

GGACGACTAA CCACTTGACC 20

(2) INFORMATION FOR SEQ ID NO: 15:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 20 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(ix) FEATURE:
(A) NAME/KEY: exon
(B) LOCATION:1..20

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 15:

TCAAGTGGTT AGTCGTCCCC 20

(2) INFORMATION FOR SEQ ID NO: 16:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 20 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(ix) FEATURE:
(A) NAME/KEY: exon
(B) LOCATION:1..20

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 16:

CGACTTTATG GACGGGATGT 20

(2) INFORMATION FOR SEQ ID NO: 17:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 19 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(ix) FEATURE:
(A) NAME/KEY: exon
(B) LOCATION:1..19

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 17:

AACGGCATGA GCTACCCGA 19

(2) INFORMATION FOR SEQ ID NO: 18:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 20 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(ix) FEATURE:
(A) NAME/KEY: exon
(B) LOCATION:1..20

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 18:

CTACCCGAAA ACAAGACTCC 20

(2) INFORMATION FOR SEQ ID NO: 19:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 18 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(ix) FEATURE:
(A) NAME/KEY: exon
(B) LOCATION:1..18

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 19:

CGGCTCCAGG CTCGTTCT 18

(2) INFORMATION FOR SEQ ID NO: 20:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 20 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(ix) FEATURE:
(A) NAME/KEY: exon
(B) LOCATION:1..20

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 20:

GTGACCAAGC ACACCTAGTG 20

(2) INFORMATION FOR SEQ ID NO: 21:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 19 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(ix) FEATURE:
(A) NAME/KEY: exon
(B) LOCATION:1..19

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 21:

GTAGGACCGA CCCAAGAAG 19

(2) INFORMATION FOR SEQ ID NO: 22:

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 20 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(ix) FEATURE:
(A) NAME/KEY: exon
(B) LOCATION:1..20

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 22:

CTCTTAACCC CCTTTCGACA 20

SEQUENCE LISTING

<110> MultiGene Biotech GmbH

<120> cDNA molecules of the members of gene family encoding human fatty acid desaturases and their use in diagnosis and therapy

<130> MultiGene Anm. 99/002 EP

<140> 99104664.0-2105
<141> 1999-03-09

<160> 22

<170> PatentIn Ver. 2.1

<210> 1
<211> 4205
<212> DNA
<213> Unknown Organism

<220>
<223> Description of Unknown Organism:

unknown

<400> 1

cactcctgga gcccgcggac cccgagcacg cgcctgacag cccctgctgg cccggcgcgc 60
ggcgtcgcca ggccagctat ggcccccgac ccggtggccg ccgagaccgc ggctcaggga 120
cctaccccgc gctacttcac ctgggacgag gtggcccagc gctcagggtg cgaggagcgg 180
tgcctagtga tcgaccgtaa ggtgtacaac atcagcgagt tcacccgccg gcatccaggg 240
ggctcccggg tcatcagcca ctacgccggg caggatgcca cggatccctt tgtggccttc 300
cacatcaaca agggccttgt gaagaagtat atgaactctc tcctgattgg agaactgtct 360
ccagagcagc ccagctttga gcccaccaag aataaagagc tgacagatga gttccgggag 420
ctgcgggcca cagtggagcg gatggggctc atgaaggcca accatgtctt cttcctgctg 480
tacctgctgc acatcttgct gctggatggt gcagcctggc tcacccttg ggtctttggg 540
acgtcctttt tgcccttcct cctctgtgcg gtgctgctca gtgcagttca ggcccaggct 600
ggctggctgc agcatgactt tgggcacctg tcggtcttca gcacctcaaa gtggaaccat 660
ctgctacatc attttgtgat tggccacctg aaggggccc ccgccagttg gtggaaccac 720
atgcacttcc agcaccatgc caagcccaac tgcttccgca aagacccaga catcaacatg 780
catcccttct tctttgcctt ggggaagatc ctctctgtgg agcttgggaa acagaagaaa 840

aaatatatgc cgtacaacca ccagcacaaa tacttcttcc taattgggcc cccagccttg 900
ctgcctctct acttccagtg gtatattttc tattttgtta tccagcgaaa gaagtgggtg 960
gacttggcct ggatgattac cttctacgtc cgcttcttcc tcacttatgt gccactattg 1020
gggctgaaag ccttcctggg ccttttcttc atagtcaggt tcctggaaag caactggttt 1080
gtgtgggtga cacagatgaa ccatattccc atgcacattg atcatgaccg gaacatggac 1140
tgggtttcca cccagctcca ggccacatgc aatgtccaca agtctgcctt caatgactgg 1200
ttcagtggac acctcaactt ccagattgag caccatcttt ttcccacgat gcctcgacac 1260
aattaccaca aagtggctcc cctggtgcag tccttgtgtg ccaagcatgg catagagtac 1320
cagtccaagc ccctgctgtc agccttcgcc gacatcatcc actcactaaa ggagtcaggg 1380
cagctctggc tagatgccta tcttcaccaa taacaacagc caccctgccc agtctggaag 1440
aagaggagga agactctgga gccaaggcag aggggagctt gagggacaat gccactatag 1500
tttaatactc agagggggtt gggtttgggg acataaagcc tctgactcaa actcctccct 1560
tttatcttct agccacagtt ctaagaccca aagtgggggg tggacacaga agtccctagg 1620
agggaaggag ctgttggggc aggggtgtaa attatttcct ttttctagtt tggcacatgc 1680
aggtagttgg tgaacagaga gaaccaggag ggtaacagaa gaggagggac ctactgaacc 1740
cagagtcagg aagagattta acactaaaat tccactcatg ccgggcgtgg tgcacgcgcc 1800
tgtaatccca gctacccagg aggctgaggc aggagaatcg cttgaaccgg ggaggtggag 1860
gttgcagtga gctgagatca cgccattgta ctccagcctg ggcgacagag caagactcca 1920
tttcaaaaaa aaaaaaaaaa aaaaaaatcc actcatataa aaggtgagct cagctcactg 1980
gtccatttct cagtggcttc tccatcctca tttgcaaacc tcagagggat aaggcagttg 2040
aacctgatga gcaagaatta taacagcaag gaaacattaa tgcttagaat tctgagatcc 2100
agcacaactc agtctgtggg agctcagctc gctgcccagg gataggtatg acctatgtct 2160
gccttaggct gctgggagat gccattctcc agtttcagaa gcaggcaggg caaaggtcaa 2220
gactgtggta ttggggtctt ttggctctga aggatcctgg aaccactgat tttggtttat 2280
tccctccagg gtctaaagag aacaagaggt gctagctctt accaaaacag atggtagaga 2340
gagttgctgg ctatttaaaa agctctttca tcttttaatt cacctcttct tttcacctct 2400
ttaaccactc ctcaggaaca gaacacttct aggactgggg gtcttttagc tccataagca 2460
agtgagcaga tgggacaagt tagtcttttc tccctagaaa caaaggggat gcccagtggt 2520
ttccctttgc ttcccaacct aaaatttcaa gtttaataaa atagcaatta gcagaagtga 2580
ccaaattggg agataattat cagtcatgag gaaagacaca gatttcggtc ataaagaatg 2640
taagggctat aagtagaaac tttctataac ctaaatgatg ttatagaatt atttttgagc 2700
aggagcagaa agattaaata tgatcacttc atacttctaa atcagaaata ggaagattaa 2760
aaccacagaa cagtttgtga tttctattgc tggtagctag gtatcttact ctgtccactc 2820
ttgttcaagt atctaactct tctggaaacc aaataggctt tagaagagat tatcctatat 2880
tcctatcagt ataatactaa aatgtaactt tttaatcatc tggtttttaa aagataaaca 2940
gtttagccca tctctccaga gagcaaacat aggaatatga ctcaggagcc tcctagggct 3000
tatcatcagc cctcacaccc gcttcccccc ccaacccaca gcctttgctt ccaggtggca 3060
ggattactac tttgcctctt cagcagcatc tactctaggc atattgatca ttttagacac 3120
tgggagaaga gaacctcaaa ctaggaggaa aagacagagc ctccacttag ttttgggagg 3180
ggatggcaga cagtcaagga gatgagcgtc ctaaggcatg ttgggatagg gtcagatgca 3240
ccacccatgg agaggtttgt caacacaaag acatggaagg ttagaggttt gtcaacaaaa 3300
agacatggaa ggttaggttt gtcaacacaa agacatggaa gattagaggt ttgtcaacac 3360

aaagatacag gaagaatggg ctgcagaaga tttagatgtt ttccatttgg gcacatttta 3420
cttagctgga gaactaggtt taaaacagcc tgggtaggaa aattagaagc aagctggatg 3480
cagtggctca tgcctgtaat cccaacactt ttgggaggtc caggcaggag gatcacttgg 3540
gcccaggagg tcaagcctgc agcgagctga gatcacacca ctgcactcca gcctggggtg 3600
atagaacaag accctgtctc aaaaaaaaaa aaaaacaaca aaaacttaga attgaggagt 3660
tgtacctcca ttggcttcct cactccaaaa taggtgctga tccttcctat tcctattctt 3720
tgccaccttt tgggtgtggt gtcaccagcc tgtttagcca agtagctttg ggcataggct 3780
gcccaatctg agcaaacacc agtgaggctc tattgagcaa gaccaagtcc tcaaagcacc 3840
tgaaccactg tggccttctc agcctacagc agtgtggtct cttacatggc cacaaaggga 3900
cacacagtga caaaaggctc ggaatgttac aatggtaaaa tgagtgatct caaatccact 3960
gacagatata aaataggctt agagaggaaa agctgcctct ggtcaagtag atcatggcag 4020
catgaattcc aactcacttt tttacgaact ccaacttcta tgtttatctt tgttactttc 4080
actttttac aacctgncag aggcattttt taaatcaggc ccaatatcag tattcttttt 4140
gtgtgtgcca attttgttat cacatcccta tgaagttgaa aaataaagtt aattttgacc 4200
aaaag 4205

<210> 2
<211> 4089
<212> DNA
<213> Unknown Organism

<220>
<223> Description of Unknown Organism:

unknown

<400> 2
cgtcacagtc ggcaggcagc atggggaagg gagggaacca gggcgagggg gccgccgagc 60
gcgaggtgtc ggtgcccacc ttcagctggg aggagattca gaagcataac ctgcgcaccg 120
acaggtggct ggtcattgac cgcaaggttt acaacatcac caaatggtcc atccagcacc 180
cgggggggcca gcgggtcatc gggcactacg ctggagaaga tgcaacggat gccttccgcg 240
ccttccaccc tgacctggaa ttcgtgggca agttcttgaa acccctgctg attggtgaac 300
tggccccgga ggagcccagc caggaccacg gcaagaactc aaagatcact gaggacttcc 360
gggccctgag gaagacggct gaggacatga acctgttcaa gaccaaccac gtgttcttcc 420
tcctcctcct ggcccacatc atcgccctgg agagcattgc atggttcact gtcttttact 480
ttggcaatgg ctggattcct accctcatca cggcctttgt ccttgctacc tctcaggccc 540
aagctggatg gctgcaacat gattatggcc acctgtctgt ctacagaaaa cccaagtgga 600
accaccttgt ccacaaattc gtcattggcc acttaaaggg tgcctctgcc aactggtgga 660
atcatcgcca cttccagcac cacgccaagc ctaacatctt ccacaaggat cccgatgtga 720
acatgctgca cgtgtttgtt ctgggcgaat ggcagcccat cgagtacggc aagaagaagc 780
tgaaatacct gccctacaat caccagcacg aatacttctt cctgattggg ccgccgctgc 840
tcatccccat gtatttccag taccagatca tcatgaccat gatcgtccat aagaactggg 900

tggacctggc ctgggccgtc agctactaca tccggttctt catcacctac atccctttct 960
acggcatcct gggagccctc cttttcctca acttcatcag gttcctggag agccactggt 1020
ttgtgtgggt cacacagatg aatcacatcg tcatggagat tgaccaggag gcctaccgtg 1080
actggttcag tagccagctg acagccacct gcaacgtgga gcagtccttc ttcaacgact 1140
ggttcagtgg acaccttaac ttccagattg agcaccacct cttccccacc atgccccggc 1200
acaacttaca caagatcgcc ccgctggtga agtctctatg tgccaagcat ggcattgaat 1260
accaggagaa gccgctactg agggccctgc tggacatcat caggtccctg aagaagtctg 1320
ggaagctgtg gctggacgcc taccttcaca aatgaagcca cagcccccgg gacaccgtgg 1380
ggaaggggtg caggtggggt gatggccaga ggaatgatgg gcttttgttc tgaggggtgt 1440
ccgagaggct ggtgtatgca ctgctcacgg accccatgtt ggatctttct ccctttctcc 1500
tctccttttt ctcttcacat ctcccccata gcaccctgcc ctcatgggac ctgccctccc 1560
tcagccgtca gccatcagcc atggccctcc cagtgcctcc tagccccttc ttccaaggag 1620
cagagaggtg gccaccgggg gtggctctgt cctacctcca ctctctgccc ctaaagatgg 1680
gaggagacca gcggtccatg ggtctggcct gtgagtctcc ccttgcagcc tggtcactag 1740
gcatcacccc cgctttggtt cttcagatgc tcttggggtt catagggggca ggtcctagtc 1800
gggcagggcc cctgaccctc ccggcctggc ttcactctcc ctgacggctg ccattggtcc 1860
acccttttcat agagaggcct gctttgttac aaagctcggg tctccctcct gcagctcggt 1920
taagtacccg aggcctctct taagatgtcc agggccccag gcccgcgggc acagccagcc 1980
caaaccttgg gccctggaag agtcctccac cccatcacta gagtgctctg accctgggct 2040
ttcacgggcc ccattccacc gcctccccaa cttgagcctg tgaccttggg accaaagggg 2100
gagtccctcg tctcttgtga ctcagcagag gcagtggcca cgttcaggga ggggccggct 2160
ggcctggagg ctcagcccac cctccagctt ttcctcaggg tgtcctgagg tccaagattc 2220
tggagcaatc tgacccttct ccaaaggctc tgttatcagc tgggcagtgc cagccaatcc 2280
ctggccattt ggccccaggg gacgtgggcc ctgcaggctg caggagggca ctggagctgg 2340
gaggtctcgt cccagccctc cccatctcgg ggctgctgtg tggacggcgc tgcctcaggc 2400
actctcctgt ctgaacctgc ccttactgtg tttaacctgt tgctccagga tgcattctga 2460
taggaggggg cggcagggct gggccttgtg acaatctgcc tttcaccaca tggccttgcc 2520
tcggtggccc tgactgtcag ggagggccag ggaggcagag cgggagggag tctcaggagg 2580
aggctgccct gaggggctgg ggaggggtga cctcatgagg accagggtgg agctgagaag 2640
aggaggaggt gggggctgga ggtgctggta gctgagggga cgggcaagtg agaggggagg 2700
gagggaagtc ctgggaggat cctgagctgc tgttgcagtc taacccacta atcagttctt 2760
agattcaggg gaagggcagg caccaacaac tcagaatggg ggctttcggg gagggcgcct 2820
agtcccccca gctctaagca gccaggaggg acctgcatct aagcatctgg gttgccatgg 2880
caatggcatg ccccccagct actgtatgcc cccgaccccc gcagaggcag aatgaaccca 2940
tagggagctg atcgtaatgt ttatcatgtt acttccccac ccctacattt tttgaaataa 3000
aataaggaat tttattctca cttcctgtgt ttcctgcacg ccaatgccag gccatggtat 3060
tgggtgatag atgaggccct tctagctggg cctgggcacc aggaggggtc cccatgcttg 3120
catctctctg tatcccctcc ctcccctgtg gccatcccac ccgcctctcc ctgctgcctc 3180
tgaaattcat tctggggccc ggaacttggt ggaaatgacc caaaaacatt ggcccatctt 3240
cctcctctca gcagccgacc ccagcccaat tctaaaacag ggctgagagc cacctctcag 3300
cagctgaccc ctacccaagg agggtggcat ggaggggctt gcagagactc ttcctaacat 3360
cctccccccc cagctgtctc cccaagtgca atctgccctc ccatccctgg gccagccagc 3420

ttccacagag cgccaggcca aacagaattc ctggcctcct tggaaggggc tggagaaggc 3480
cgggagcagt ggctcacgcc tgtaatccca gcactttggg aggctgaggc gggcagatca 3540
caaagtcaag agattgagac catcctggcc aacatggtga aaccccgtct ctactaaaaa 3600
tacaaaaatt aggccgggtg cggtggctca cgcctgtaat cccagcactt tgggaggccg 3660
aggcgggcag atcacgaggt caggagatca agaccatcct ggctaacacg gtgaaacccc 3720
gtctctacta aaaatacaaa aaattagctg ggcgaggtgg cgggtgcctg tagtcccagc 3780
tacgtgggag gctgaggcaa gagaatggcg tgaaccccgg cggggcagag cctgcagaga 3840
gctgagatca caccactgta ctccagcctg ggcgacagcg agactccgtc tcaaaaaaaa 3900
aaaaaaaaaa aattagctgg gcatggtggt gcgtgcctgc agtcccagct actcaggagg 3960
ctgagacggg agaatcgctt gaacctggga ggcagaggtt gcagtgagcc aagatcgctc 4020
actccagcct agcgacagag tgagactcca tctcaaataa ataaataaat taattaatta 4080
aattaaatt 4089

<210> 3
<211> 1757
<212> DNA
<213> Unknown Organism

<220>
<223> Description of Unknown Organism:

unknown

<400> 3
ggccgcggcg gcagggcggg gccggagcag cgggcggcgg cggaggcggc gcccgggagc 60
gctcttcgct tccctcgggg tcttgctcgg acctcggcca ccgcctggga tccccaggac 120
tcgtgcgtgc agcatgggcg gcgtcgggga gccgggaccg cgggagggac ccgcgcagcc 180
gggggcaccg ctgcccacct tctgctggga gcagatccgc gcgcacgacc agcccggcga 240
caagtggctg gtcatcgagc gccgcgtcta cgacatcagc cgctgggcac agcggcaccc 300
aggggcagc cgcctcatcg gccaccacgg cgctgaggac gccacggatg ccttccgtgc 360
cttccatcaa gatctcaatt ttgtgcgcaa gttcctacag cccctgttga ttggagagct 420
ggctccggaa gaacccagcc aggatggacc cctgaatgcg cagctggtcg aggacttccg 480
agccctgcac caggcagccg aggacatgaa gctgtttgat gccagtccca ccttctttgc 540
tttcctactg ggccacatcc tggccatgga ggtgctggcc tggctcctta tctacctcct 600
gggtcctggc tgggtgccca gtgccctggc cgccttcatc ctggccatct ctcaggctca 660
gtcctggtgt ctgcagcatg acctgggcca tgcctccatc ttcaagaagt cctggtggaa 720
ccacgtggcc cagaagttcg tgatggggca gctaaagggc ttctccgccc actggtggaa 780
cttccgccac ttccagcacc acgccaagcc caacatcttc cacaaagacc cagacgtgac 840
ggtggcgccc gtcttcctcc tgggggagtc atccgtcgag tatggcaaga agaaacgcag 900
atacctaccc tacaaccagc agcacctgta cttcttcctg atcggcccgc cgctgctcac 960
cctggtgaac tttgaagtgg aaaatctggc gtacatgctg gtgtgcatgc agtgggcgga 1020
tttgctctgg gccgccagct tctatgcccg cttcttctta tcctacctcc ccttctacgg 1080

cgtccctggg gtgctgctct tctttgttgc tgtcagggtc ctggaaagcc actggtccgt 1140
gtggatcaca cagatgaacc acatccccaa ggagatcggc cacgagaagc accgggactg 1200
ggtcagctct cagctggcag ccacctgcaa cgtggagccc tcacttttca ccaactcgtt 1260
cagcgggcac ctcaacttcc agatcgagca ccacctcttc cccaggatgc cgagacacaa 1320
ctacagccgg gtggccccgc tggtcaagtc gctgtgtgcc aagcacggcc tcagctacga 1380
agtgaagccc ttcctcaccg cgctggtgga catcgtcagg tccctgaaga agtctgctga 1440
catctggctg gacgcctacc tccatcagtg aaggcaacac ccaggcgggc agagaacggc 1500
tcagggcacc agcaaccaag ccagccccgg cgggatcgat accccacccc ctccactggc 1560
cagcctgggg gtgccctgcc tgccctcctg ctactgttgt cttcccctcg gccccctcac 1620
atgtgtattc agcagcccta tggccttggc tctgggcctg atgggacagg ggtagaggga 1680
aggtgagcat agcacatttt cctagagcga caattggggg aaagctgtta tttttatatt 1740
aaaatacatt cagatgt 1757

<210> 4
<211> 444
<212> PRT
<213> Unknown Organism

<220>
<223> Description of Unknown Organism:

unknown

<400> 4

Met Ala Pro Asp Pro Val Ala Ala Glu Thr Ala Ala Gln Gly Pro Thr
1 5 10 15

Pro Arg Tyr Phe Thr Trp Asp Glu Val Ala Gln Arg Ser Gly Cys Glu
20 25 30

Glu Arg Trp Leu Val Ile Asp Arg Lys Val Tyr Asn Ile Ser Glu Phe
35 40 45

Thr Arg Arg His Pro Gly Gly Ser Arg Val Ile Ser His Tyr Ala Gly
50 55 60

Gln Asp Ala Thr Asp Pro Phe Val Ala Phe His Ile Asn Lys Gly Leu
65 70 75 80

Val Lys Lys Tyr Met Asn Ser Leu Leu Ile Gly Glu Leu Ser Pro Glu
85 90 95

```
Gln Pro Ser Phe Glu Pro Thr Lys Asn Lys Glu Leu Thr Asp Glu Phe
            100                 105                 110

Arg Glu Leu Arg Ala Thr Val Glu Arg Met Gly Leu Met Lys Ala Asn
        115                 120                 125

His Val Phe Phe Leu Leu Tyr Leu Leu His Ile Leu Leu Leu Asp Gly
    130                 135                 140

Ala Ala Trp Leu Thr Leu Trp Val Phe Gly Thr Ser Phe Leu Pro Phe
145                 150                 155                 160

Leu Leu Cys Ala Val Leu Leu Ser Ala Val Gln Ala Gln Ala Gly Trp
                165                 170                 175

Leu Gln His Asp Phe Gly His Leu Ser Val Phe Ser Thr Ser Lys Trp
            180                 185                 190

Asn His Leu Leu His His Phe Val Ile Gly His Leu Lys Gly Ala Pro
        195                 200                 205

Ala Ser Trp Trp Asn His Met His Phe Gln His His Ala Lys Pro Asn
    210                 215                 220

Cys Phe Arg Lys Asp Pro Asp Ile Asn Met His Pro Phe Phe Phe Ala
225                 230                 235                 240

Leu Gly Lys Ile Leu Ser Val Glu Leu Gly Lys Gln Lys Lys Lys Tyr
                245                 250                 255

Met Pro Tyr Asn His Gln His Lys Tyr Phe Phe Leu Ile Gly Pro Pro
            260                 265                 270

Ala Leu Leu Pro Leu Tyr Phe Gln Trp Tyr Ile Phe Tyr Phe Val Ile
        275                 280                 285

Gln Arg Lys Lys Trp Val Asp Leu Ala Trp Met Ile Thr Phe Tyr Val
    290                 295                 300

Arg Phe Phe Leu Thr Tyr Val Pro Leu Leu Gly Leu Lys Ala Phe Leu
305                 310                 315                 320
```

Gly Leu Phe Phe Ile Val Arg Phe Leu Glu Ser Asn Trp Phe Val Trp
325 330 335

Val Thr Gln Met Asn His Ile Pro Met His Ile Asp His Asp Arg Asn
340 345 350

Met Asp Trp Val Ser Thr Gln Leu Gln Ala Thr Cys Asn Val His Lys
355 360 365

Ser Ala Phe Asn Asp Trp Phe Ser Gly His Leu Asn Phe Gln Ile Glu
370 375 380

His His Leu Phe Pro Thr Met Pro Arg His Asn Tyr His Lys Val Ala
385 390 395 400

Pro Leu Val Gln Ser Leu Cys Ala Lys His Gly Ile Glu Tyr Gln Ser
405 410 415

Lys Pro Leu Leu Ser Ala Phe Ala Asp Ile Ile His Ser Leu Lys Glu
420 425 430

Ser Gly Gln Leu Trp Leu Asp Ala Tyr Leu His Gln
435 440

<210> 5
<211> 444
<212> PRT
<213> Unknown Organism

<220>
<223> Description of Unknown Organism:

unknown

<400> 5
Met Gly Lys Gly Gly Asn Gln Gly Glu Gly Ala Ala Glu Arg Glu Val
1 5 10 15

Ser Val Pro Thr Phe Ser Trp Glu Glu Ile Gln Lys His Asn Leu Arg
20 25 30

```
Thr Asp Arg Trp Leu Val Ile Asp Arg Lys Val Tyr Asn Ile Thr Lys
         35                  40                  45

Trp Ser Ile Gln His Pro Gly Gly Gln Arg Val Ile Gly His Tyr Ala
     50                  55                  60

Gly Glu Asp Ala Thr Asp Ala Phe Arg Ala Phe His Pro Asp Leu Glu
 65                  70                  75                  80

Phe Val Gly Lys Phe Leu Lys Pro Leu Leu Ile Gly Glu Leu Ala Pro
                 85                  90                  95

Glu Glu Pro Ser Gln Asp His Gly Lys Asn Ser Lys Ile Thr Glu Asp
            100                 105                 110

Phe Arg Ala Leu Arg Lys Thr Ala Glu Asp Met Asn Leu Phe Lys Thr
        115                 120                 125

Asn His Val Phe Phe Leu Leu Leu Leu Ala His Ile Ile Ala Leu Glu
    130                 135                 140

Ser Ile Ala Trp Phe Thr Val Phe Tyr Phe Gly Asn Gly Trp Ile Pro
145                 150                 155                 160

Thr Leu Ile Thr Ala Phe Val Leu Ala Thr Ser Gln Ala Gln Ala Gly
                165                 170                 175

Trp Leu Gln His Asp Tyr Gly His Leu Ser Val Tyr Arg Lys Pro Lys
            180                 185                 190

Trp Asn His Leu Val His Lys Phe Val Ile Gly His Leu Lys Gly Ala
        195                 200                 205

Ser Ala Asn Trp Trp Asn His Arg His Phe Gln His His Ala Lys Pro
    210                 215                 220

Asn Ile Phe His Lys Asp Pro Asp Val Asn Met Leu His Val Phe Val
225                 230                 235                 240

Leu Gly Glu Trp Gln Pro Ile Glu Tyr Gly Lys Lys Lys Leu Lys Tyr
                245                 250                 255
```

Leu Pro Tyr Asn His Gln His Glu Tyr Phe Phe Leu Ile Gly Pro Pro
260 265 270

Leu Leu Ile Pro Met Tyr Phe Gln Tyr Gln Ile Ile Met Thr Met Ile
275 280 285

Val His Lys Asn Trp Val Asp Leu Ala Trp Ala Val Ser Tyr Tyr Ile
290 295 300

Arg Phe Phe Ile Thr Tyr Ile Pro Phe Tyr Gly Ile Leu Gly Ala Leu
305 310 315 320

Leu Phe Leu Asn Phe Ile Arg Phe Leu Glu Ser His Trp Phe Val Trp
325 330 335

Val Thr Gln Met Asn His Ile Val Met Glu Ile Asp Gln Glu Ala Tyr
340 345 350

Arg Asp Trp Phe Ser Ser Gln Leu Thr Ala Thr Cys Asn Val Glu Gln
355 360 365

Ser Phe Phe Asn Asp Trp Phe Ser Gly His Leu Asn Phe Gln Ile Glu
370 375 380

His His Leu Phe Pro Thr Met Pro Arg His Asn Leu His Lys Ile Ala
385 390 395 400

Pro Leu Val Lys Ser Leu Cys Ala Lys His Gly Ile Glu Tyr Gln Glu
405 410 415

Lys Pro Leu Leu Arg Ala Leu Leu Asp Ile Ile Arg Ser Leu Lys Lys
420 425 430

Ser Gly Lys Leu Trp Leu Asp Ala Tyr Leu His Lys
435 440

<210> 6
<211> 445
<212> PRT
<213> Unknown Organism

<220>
<223> Description of Unknown Organism:

unknown

<400> 6

```
Met Gly Gly Val Gly Glu Pro Gly Pro Arg Glu Gly Pro Ala Gln Pro
  1               5                  10                  15

Gly Ala Pro Leu Pro Thr Phe Cys Trp Glu Gln Ile Arg Ala His Asp
             20                  25                  30

Gln Pro Gly Asp Lys Trp Leu Val Ile Glu Arg Arg Val Tyr Asp Ile
         35                  40                  45

Ser Arg Trp Ala Gln Arg His Pro Gly Gly Ser Arg Leu Ile Gly His
     50                  55                  60

His Gly Ala Glu Asp Ala Thr Asp Ala Phe Arg Ala Phe His Gln Asp
 65                  70                  75                  80

Leu Asn Phe Val Arg Lys Phe Leu Gln Pro Leu Leu Ile Gly Glu Leu
                 85                  90                  95

Ala Pro Glu Glu Pro Ser Gln Asp Gly Pro Leu Asn Ala Gln Leu Val
            100                 105                 110

Glu Asp Phe Arg Ala Leu His Gln Ala Ala Glu Asp Met Lys Leu Phe
        115                 120                 125

Asp Ala Ser Pro Thr Phe Phe Ala Phe Leu Leu Gly His Ile Leu Ala
    130                 135                 140

Met Glu Val Leu Ala Trp Leu Leu Ile Tyr Leu Leu Gly Pro Gly Trp
145                 150                 155                 160
```

```
Val Pro Ser Ala Leu Ala Ala Phe Ile Leu Ala Ile Ser Gln Ala Gln
                165                 170                 175

Ser Trp Cys Leu Gln His Asp Leu Gly His Ala Ser Ile Phe Lys Lys
            180                 185                 190

Ser Trp Trp Asn His Val Ala Gln Lys Phe Val Met Gly Gln Leu Lys
        195                 200                 205

Gly Phe Ser Ala His Trp Trp Asn Phe Arg His Phe Gln His His Ala
    210                 215                 220

Lys Pro Asn Ile Phe His Lys Asp Pro Asp Val Thr Val Ala Pro Val
225                 230                 235                 240

Phe Leu Leu Gly Glu Ser Ser Val Glu Tyr Gly Lys Lys Lys Arg Arg
                245                 250                 255

Tyr Leu Pro Tyr Asn Gln Gln His Leu Tyr Phe Phe Leu Ile Gly Pro
            260                 265                 270

Pro Leu Leu Thr Leu Val Asn Phe Glu Val Glu Asn Leu Ala Tyr Met
        275                 280                 285

Leu Val Cys Met Gln Trp Ala Asp Leu Leu Trp Ala Ala Ser Phe Tyr
    290                 295                 300

Ala Arg Phe Phe Leu Ser Tyr Leu Pro Phe Tyr Gly Val Pro Gly Val
305                 310                 315                 320

Leu Leu Phe Phe Val Ala Val Arg Val Leu Glu Ser His Trp Phe Val
                325                 330                 335

Trp Ile Thr Gln Met Asn His Ile Pro Lys Glu Ile Gly His Glu Lys
            340                 345                 350

His Arg Asp Trp Val Ser Ser Gln Leu Ala Ala Thr Cys Asn Val Glu
        355                 360                 365

Pro Ser Leu Phe Thr Asn Trp Phe Ser Gly His Leu Asn Phe Gln Ile
    370                 375                 380
```

Glu His His Leu Phe Pro Arg Met Pro Arg His Asn Tyr Ser Arg Val
385 390 395 400

Ala Pro Leu Val Lys Ser Leu Cys Ala Lys His Gly Leu Ser Tyr Glu
405 410 415

Val Lys Pro Phe Leu Thr Ala Leu Val Asp Ile Val Arg Ser Leu Lys
420 425 430

Lys Ser Gly Asp Ile Trp Leu Asp Ala Tyr Leu His Gln
435 440 445

<210> 7
<211> 18
<212> DNA
<213> Unknown Organism

<220>
<223> Description of Unknown Organism:

unknown

<400> 7
cgcctgacag cccctgct 18

<210> 8
<211> 20
<212> DNA
<213> Unknown Organism

<220>
<223> Description of Unknown Organism:

unknown

<400> 8
caggtggcca atcacaaaat 20

<210> 9
<211> 22
<212> DNA

<213> Unknown Organism

<220>
<223> Description of Unknown Organism:

unknown

<400> 9
ctcaaagtgg aaccatctgc ta 22

<210> 10
<211> 20
<212> DNA
<213> Unknown Organism

<220>
<223> Description of Unknown Organism:

unknown

<400> 10
ggaaacccag tccatgttcc 20

<210> 11
<211> 21
<212> DNA
<213> Unknown Organism

<220>
<223> Description of Unknown Organism:

unknown

<400> 11
cctgggcctt ttcttcatag t 21

<210> 12
<211> 19
<212> DNA
<213> Unknown Organism

<220>

<223> Description of Unknown Organism:

unknown

<400> 12
ctcaagctcc cctctgcct 19

<210> 13
<211> 19
<212> DNA
<213> Unknown Organism

<220>
<223> Description of Unknown Organism:

unknown

<400> 13
tcagaagcat aacctgcgc 19

<210> 14
<211> 20
<212> DNA
<213> Unknown Organism

<220>
<223> Description of Unknown Organism:

unknown

<400> 14
ccagttcacc aatcagcagg 20

<210> 15
<211> 20
<212> DNA
<213> Unknown Organism

<220>
<223> Description of Unknown Organism:

unknown

<400> 15
ccctgctga ttggtcaact 20

<210> 16
<211> 20
<212> DNA
<213> Unknown Organism

<220>
<223> Description of Unknown Organism:

unknown

<400> 16
tctagggcag gtatttcagc 20

<210> 17
<211> 19
<212> DNA
<213> Unknown Organism

<220>
<223> Description of Unknown Organism:

unknown

<400> 17
agcccatcga gtacggcaa 19

<210> 18
<211> 20
<212> DNA
<213> Unknown Organism

<220>
<223> Description of Unknown Organism:

unknown

<400> 18
cctcagaaca aaagcccatc 20

<210> 19
<211> 18
<212> DNA
<213> Unknown Organism

<220>
<223> Description of Unknown Organism:

unknown

<400> 19
tcttgctcgg acctcggc 18

<210> 20
<211> 20
<212> DNA
<213> Unknown Organism

<220>
<223> Description of Unknown Organism:

unknown

<400> 20
gtgatccaca cgaaccagtg 20

<210> 21
<211> 19
<212> DNA
<213> Unknown Organism

<220>
<223> Description of Unknown Organism:

unknown

<400> 21
gaagaaccca gccaggatg 19

<210> 22

<211> 20
<212> DNA
<213> Unknown Organism

<220>
<223> Description of Unknown Organism:

unknown

<400> 22
acagctttcc cccaattctc 20

Claims

1. An isolated cDNA molecule selected from the group consisting of

(a) a polynucleotide having at least a 65 % homology, preferably at least a 80 % homology with a polynucleotide encoding a polypeptide selected from the group consisting of the polypeptides of SEQ ID NO: 4, SEQ ID NO: 5 and SEQ ID NO: 6;
(b) a polynucleotide having at least a 65 % homology, preferably at least a 80 % homology with a polynucleotide which by virtue of the redundancy of the genetic code, encodes the same polypeptide selected from the group consisting of the polypeptides of SEQ ID NO: 4, SEQ ID NO: 5 and SEQ ID NO: 6;
(c) a DNA molecule capable of hybridization under stringent conditions to a DNA molecule according to (a) or (b);
(d) a polynucleotide which is complementary to the polynucleotide of (a), (b) or (c); and
(e) a oligonucleotide comprising at least 15 consecutive nucleotides of the polynucleotide of (a), (b), (c) or (d).

2. An isolated cDNA molecule selected from the group consisting of

(a) a polynucleotide having at least a 65 % homology, preferably at least a 80 % homology with a polynucleotide sequence selected from the group consisting of the polynucleotides of SEQ ID NO: 1, SEQ ID NO: 2 and SEQ ID NO: 3;
(b) a DNA molecule capable of hybridization under stringent conditions to a DNA molecule according to (a);
(c) a polynucleotide which is complementary to the polynucleotide of (a) or (b);
(d) a oligonucleotide comprising at least 15 consecutive nucleotides of the polynucleotide of (a), (b) or (c); and
(e) a DNA which is synonymous to the DNAs of (a), (b), (c) or (d) due to the degeneracy of the genetic code.

3. A DNA comprising a nucleotide sequence with at least a 65 % homology with the nucleotide sequences as defined in claim 1 or 2.

4. A recombinant vector comprising the DNA as claimed in any of claims 1 to 3.

5. A transgenic host cell comprising the DNA as claimed in any of claims 1 to 3.

6. A transgenetic host cell transformed by the DNA according to any of claims 1 to 3 or the vector according to claim 4, a corresponding transgenetic organism or a corresponding transgenetic knock-in or knock-out animal model.

7. A polypeptide comprising at least 65 % of a polypeptide sequence selected from the group consisting of the polypeptides of SEQ ID NO: 1, SEQ ID NO: 2 and SEQ ID NO: 3 or its salt.

8. A polypeptide comprising a polypeptide sequence with at least a 85 % homology with the polypeptide sequence as claimed in claim 7, or its salt.

9. A peptide comprising at least 15 consecutive amino acids of the polypeptide as claimed in claim 7, or its salt.

10. A polypeptide having substantially the same amino acid sequence as the polypeptide as claimed in claim 7, or having a variant of the amino acid sequence of the polypeptide as claimed in claim 7 with a deletion, addition or substitution of 1 to 10 amino acids, or its salt.

11. A process for producing a polypeptide comprising expressing from the host cell of claim 5 or 6 a polypeptide encoded by the DNA as claimed in any of claims 1 to 3.

12. An antibody against the polypeptide of any of claims 7 to 10.

13. A oligonucleotide primer having a nucleotide sequence selected from the group consisting of the nucleotide sequences of SEQ ID NO: 7 to SEQ ID NO: 22.

14. A method of screening for modulators in known assays using constructs or of screening for interacting proteins or factors using state of the art technologies.

15. A method of screening chemical libraries comprising transformed cell lines.

16. A compound which alters or reacts with at least one epitope of the proteins and which is obtained by screening methods as claimed in claim 14 or 15.

17. The use of the antibodies according to claim 12 for diagnostic or therapeutic purposes.

18. A pharmaceutical composition comprising as an effective component an effective amount of the peptide as claimed in any of claims 7 to 10, or its salt, and a pharmaceutically acceptable carrier or diluent.

Fig.1



Fig.2



Fig. 3

FADS1 cDNA

CACTCCTGGAGCCCGCGGACCCCGAGCACGCGCCTGACAGCCCCTGCTGGCCCGGCGCGCGGCG
TCGCCAGGCCAGCTATGGCCCCCGACCCGGTGGCCGCCGAGACCGCGGCTCAGGGACCTACCCC
GCGCTACTTCACCTGGGACGAGGTGGCCCAGCGCTCAGGGTGCGAGGAGCGGTGGCTAGTGATC
GACCGTAAGGTGTACAACATCAGCGAGTTCACCCGCCGGCATCCAGGGGGCTCCCGGGTCATCA
GCCACTACGCCGGGCAGGATGCCACGGATCCCTTTGTGGCCTTCCACATCAACAAGGGCCTTGT
GAAGAAGTATATGAACTCTCTCCTGATTGGAGAACTGTCTCCAGAGCAGCCCAGCTTTGAGCCC
ACCAAGAATAAAGAGCTGACAGATGAGTTCCGGGAGCTGCGGGCCACAGTGGAGCGGATGGGGC
TCATGAAGGCCAACCATGTCTTCTTCCTGCTGTACCTGCTGCACATCTTGCTGCTGGATGGTGC
AGCCTGGCTCACCCTTTGGGTCTTTGGGACGTCCTTTTTGCCCTTCCTCCTCTGTGCGGTGCTG
CTCAGTGCAGTTCAGGCCCAGGCTGGCTGGCTGCAGCATGACTTTGGGCACCTGTCGGTCTTCA
GCACCTCAAAGTGGAACCATCTGCTACATCATTTTGTGATTGGCCACCTGAAGGGGGCCCCCGC
CAGTTGGTGGAACCACATGCACTTCCAGCACCATGCCAAGCCCAACTGCTTCCGCAAAGACCCA
GACATCAACATGCATCCCTTCTTCTTTGCCTTGGGGAAGATCCTCTCTGTGGAGCTTGGGAAAC
AGAAGAAAAAATATATGCCGTACAACCACCAGCACAAATACTTCTTCCTAATTGGGCCCCCAGC
CTTGCTGCCTCTCTACTTCCAGTGGTATATTTTCTATTTTGTTATCCAGCGAAAGAAGTGGGTG
GACTTGGCCTGGATGATTACCTTCTACGTCCGCTTCTTCCTCACTTATGTGCCACTATTGGGGC
TGAAAGCCTTCCTGGGCCTTTTCTTCATAGTCAGGTTCCTGGAAAGCAACTGGTTTGTGTGGGT
GACACAGATGAACCATATTCCCATGCACATTGATCATGACCGGAACATGGACTGGGTTTCCACC
CAGCTCCAGGCCACATGCAATGTCCACAAGTCTGCCTTCAATGACTGGTTCAGTGGACACCTCA
ACTTCCAGATTGAGCACCATCTTTTTCCCACGATGCCTCGACACAATTACCACAAAGTGGCTCC
CCTGGTGCAGTCCTTGTGTGCCAAGCATGGCATAGAGTACCAGTCCAAGCCCCTGCTGTCAGCC
TTCGCCGACATCATCCACTCACTAAAGGAGTCAGGGCAGCTCTGGCTAGATGCCTATCTTCACC
AATAACAACAGCCACCCTGCCCAGTCTGGAAGAAGAGGAGGAAGACTCTGGAGCCAAGGCAGAG
GGGAGCTTGAGGGACAATGCCACTATAGTTTAATACTCAGAGGGGGTTGGGTTTGGGGACATAA
AGCCTCTGACTCAAACTCCTCCCTTTTATCTTCTAGCCACAGTTCTAAGACCCAAAGTGGGGGG
TGGACACAGAAGTCCCTAGGAGGGAAGGAGCTGTTGGGGCAGGGGTGTAAATTATTTCCTTTTT
CTAGTTTGGCACATGCAGGTAGTTGGTGAACAGAGAGAACCAGGAGGGTAACAGAAGAGGAGGG
ACCTACTGAACCCAGAGTCAGGAAGAGATTTAACACTAAAATTCCACTCATGCCGGGCGTGGTG
CACGCGCCTGTAATCCCAGCTACCCAGGAGGCTGAGGCAGGAGAATCGCTTGAACCGGGGAGGT
GGAGGTTGCAGTGAGCTGAGATCACGCCATTGTACTCCAGCCTGGGCGACAGAGCAAGACTCCA
TTTCAAAAAAAAAAAAAAAAAAAAAAATCCACTCATATAAAAGGTGAGCTCAGCTCACTGGTCC
ATTTCTCAGTGGCTTCTCCATCCTCATTTGCAAACCTCAGAGGGATAAGGCAGTTGAACCTGAT
GAGCAAGAATTATAACAGCAAGGAAACATTAATGCTTAGAATTCTGAGATCCAGCACAACTCAG
TCTGTGGGAGCTCAGCTCGCTGCCCAGGGATAGGTATGACCTATGTCTGCCTTAGGCTGCTGGG
AGATGCCATTCTCCAGTTTCAGAAGCAGGCAGGGCAAAGGTCAAGACTGTGGTATTGGGGTCTT
TTGGCTCTGAAGGATCCTGGAACCACTGATTTTGGTTTATTCCCTCCAGGGTCTAAAGAGAACA
AGAGGTGCTAGCTCTTACCAAAACAGATGGTAGAGAGAGTTGCTGGCTATTTAAAAAGCTCTTT
CATCTTTTAATTCACCTCTTCTTTTCACCTCTTTAACCACTCCTCAGGAACAGAACACTTCTAG
GACTGGGGGTCTTTTAGCTCCATAAGCAAGTGAGCAGATGGGACAAGTTAGTCTTTTCTCCCTA
GAAACAAAGGGGATGCCCAGTGGTTTCCCTTTGCTTCCCAACCTAAAATTTCAAGTTTAATAAA
ATAGCAATTAGCAGAAGTGACCAAATTGGGAGATAATTATCAGTCATGAGGAAAGACACAGATT
TCGGTCATAAAGAATGTAAGGGCTATAAGTAGAAACTTTCTATAACCTAAATGATGTTATAGAA
TTATTTTTGAGCAGGAGCAGAAAGATTAAATATGATCACTTCATACTTCTAAATCAGAAATAGG
AAGATTAAAACCACAGAACAGTTTGTGATTTCTATTGCTGGTAGCTAGGTATCTTACTCTGTCC
ACTCTTGTTCAAGTATCTAACTCTTCTGGAAACCAAATAGGCTTTAGAAGAGATTATCCTATAT
TCCTATCAGTATAATACTAAAATGTAACTTTTTAATCATCTGGTTTTTAAAAGATAAACAGTTT

Fig. 3 cont.

AGCCCATCTCTCCAGAGAGCAAACATAGGAATATGACTCAGGAGCCTCCTAGGGCTTATCATCA
GCCCTCACACCCGCTTCCCCCTCCAACCCACAGCCTTTGCTTCCAGGTGGCAGGATTACTACTT
TGCCTCTTCAGCAGCATCTACTCTAGGCATATTGATCATTTTAGACACTGGGAGAAGAGAACCT
CAAACTAGGAGGAAAAGACAGAGCCTCCACTTAGTTTTGGGAGGGGATGGCAGACAGTCAAGGA
GATGAGCGTCCTAAGGCATGTTGGGATAGGGTCAGATGCACCACCCATGGAGAGGTTTGTCAAC
ACAAAGACATGGAAGGTTAGAGGTTTGTCAACAAAAAGACATGGAAGGTTAGGTTTGTCAACAC
AAAGACATGGAAGATTAGAGGTTTGTCAACACAAAGATACAGGAAGAATGGGCTGCAGAAGATT
TAGATGTTTTCCATTTGGGCACATTTTACTTAGCTGGAGAACTAGGTTTAAAACAGCCTGGGTA
GGAAAATTAGAAGCAAGCTGGATGCAGTGGCTCATGCCTGTAATCCCAACACTTTTGGGAGGTC
CAGGCAGGAGGATCACTTGGGCCCAGGAGGTCAAGCCTGCAGCGAGCTGAGATCACACCACTGC
ACTCCAGCCTGGGGTGATAGAACAAGACCCTGTCTCAAAAAAAAAAAAAAAACAACAAAAACTTA
GAATTGAGGAGTTGTACCTCCATTGGCTTCCTCACTCCAAAATAGGTGCTGATCCTTCCTATTC
CTATTCTTTGCCACCTTTTGGGTGTGGTGTCACCAGCCTGTTTAGCCAAGTAGCTTTGGGCATA
GGCTGCCCAATCTGAGCAAACACCAGTGAGGCTCTATTGAGCAAGACCAAGTCCTCAAAGCACC
TGAACCACTGTGGCCTTCTCAGCCTACAGCAGTGTGGTCTCTTACATGGCCACAAAGGGACACA
CAGTGACAAAAGGCTCGGAATGTTACAATGGTAAAATGAGTGATCTCAAATCCACTGACAGATA
TAAAATAGGCTTAGAGAGGAAAAGCTGCCTCTGGTCAAGTAGATCATGGCAGCATGAATTCCAA
CTCACTTTTTTACGAACTCCAACTTCTATGTTTATCTTTGTTACTTTCACTTTTTTACAACCTG
NCAGAGGCATTTTTTAAATCAGGCCCAATATCAGTATTCTTTTTGTGTGTGCCAATTTTGTTAT
CACATCCCTATGAAGTTGAAAAATAAAGTTAATTTTGACCAAAAG

Fig. 4

FADS2 cDNA

CGTCACAGTCGGCAGGCAGCATGGGGAAGGGAGGGAACCAGGGCGAGGGGGCCGCCGAGCGCGA
GGTGTCGGTGCCCACCTTCAGCTGGGAGGAGATTCAGAAGCATAACCTGCGCACCGACAGGTGG
CTGGTCATTGACCGCAAGGTTTACAACATCACCAAATGGTCCATCCAGCACCCGGGGGGCCAGC
GGGTCATCGGGCACTACGCTGGAGAAGATGCAACGGATGCCTTCCGCGCCTTCCACCCTGACCT
GGAATTCGTGGGCAAGTTCTTGAAACCCCTGCTGATTGGTGAACTGGCCCCGGAGGAGCCCAGC
CAGGACCACGGCAAGAACTCAAAGATCACTGAGGACTTCCGGGCCCTGAGGAAGACGGCTGAGG
ACATGAACCTGTTCAAGACCAACCACGTGTTCTTCCTCCTCCTCCTGGCCCACATCATCGCCCT
GGAGAGCATTGCATGGTTCACTGTCTTTTACTTTGGCAATGGCTGGATTCCTACCCTCATCACG
GCCTTTGTCCTTGCTACCTCTCAGGCCCAAGCTGGATGGCTGCAACATGATTATGGCCACCTGT
CTGTCTACAGAAAACCCAAGTGGAACCACCTTGTCCACAAATTCGTCATTGGCCACTTAAAGGG
TGCCTCTGCCAACTGGTGGAATCATCGCCACTTCCAGCACCACGCCAAGCCTAACATCTTCCAC
AAGGATCCCGATGTGAACATGCTGCACGTGTTTGTTCTGGGCGAATGGCAGCCCATCGAGTACG
GCAAGAAGAAGCTGAAATACCTGCCCTACAATCACCAGCACGAATACTTCTTCCTGATTGGGCC
GCCGCTGCTCATCCCCATGTATTTCCAGTACCAGATCATCATGACCATGATCGTCCATAAGAAC
TGGGTGGACCTGGCCTGGGCCGTCAGCTACTACATCCGGTTCTTCATCACCTACATCCCTTTCT
ACGGCATCCTGGGAGCCCTCCTTTTCCTCAACTTCATCAGGTTCCTGGAGAGCCACTGGTTTGT
GTGGGTCACACAGATGAATCACATCGTCATGGAGATTGACCAGGAGGCCTACCGTGACTGGTTC
AGTAGCCAGCTGACAGCCACCTGCAACGTGGAGCAGTCCTTCTTCAACGACTGGTTCAGTGGAC
ACCTTAACTTCCAGATTGAGCACCACCTCTTCCCCACCATGCCCCGGCACAACTTACACAAGAT
CGCCCCGCTGGTGAAGTCTCTATGTGCCAAGCATGGCATTGAATACCAGGAGAAGCCGCTACTG
AGGGCCCTGCTGGACATCATCAGGTCCCTGAAGAAGTCTGGGAAGCTGTGGCTGGACGCCTACC
TTCACAAATGAAGCCACAGCCCCCGGGACACCGTGGGGAAGGGGTGCAGGTGGGGTGATGGCCA
GAGGAATGATGGGCTTTTGTTCTGAGGGGTGTCCGAGAGGCTGGTGTATGCACTGCTCACGGAC
CCCATGTTGGATCTTTCTCCCTTTCTCCTCTCCTTTTTCTCTTCACATCTCCCCCATAGCACCC
TGCCCTCATGGGACCTGCCCTCCCTCAGCCGTCAGCCATCAGCCATGGCCCTCCCAGTGCCTCC
TAGCCCCTTCTTCCAAGGAGCAGAGAGGTGGCCACCGGGGGTGGCTCTGTCCTACCTCCACTCT
CTGCCCCTAAAGATGGGAGGAGACCAGCGGTCCATGGGTCTGGCCTGTGAGTCTCCCCTTGCAG
CCTGGTCACTAGGCATCACCCCCGCTTTGGTTCTTCAGATGCTCTTGGGGTTCATAGGGGCAGG
TCCTAGTCGGGCAGGGCCCCTGACCCTCCCGGCCTGGCTTCACTCTCCCTGACGGCTGCCATTG
GTCCACCCTTTCATAGAGAGGCCTGCTTTGTTACAAAGCTCGGGTCTCCCTCCTGCAGCTCGGT
TAAGTACCCGAGGCCTCTCTTAAGATGTCCAGGGCCCCAGGCCCGCGGGCACAGCCAGCCCAAA
CCTTGGGCCCTGGAAGAGTCCTCCACCCCATCACTAGAGTGCTCTGACCCTGGGCTTTCACGGG
CCCCATTCCACCGCCTCCCCAACTTGAGCCTGTGACCTTGGGACCAAAGGGGGAGTCCCTCGTC
TCTTGTGACTCAGCAGAGGCAGTGGCCACGTTCAGGGAGGGGCCGGCTGGCCTGGAGGCTCAGC
CCACCCTCCAGCTTTTCCTCAGGGTGTCCTGAGGTCCAAGATTCTGGAGCAATCTGACCCTTCT
CCAAAGGCTCTGTTATCAGCTGGGCAGTGCCAGCCAATCCCTGGCCATTTGGCCCCAGGGGACG
TGGGCCCTGCAGGCTGCAGGAGGGCACTGGAGCTGGGAGGTCTCGTCCCAGCCCTCCCCATCTC
GGGGCTGCTGTGTGGACGGCGCTGCCTCAGGCACTCTCCTGTCTGAACCTGCCCTTACTGTGTT
TAACCTGTTGCTCCAGGATGCATTCTGATAGGAGGGGGCGGCAGGGCTGGGCCTTGTGACAATC
TGCCTTTCACCACATGGCCTTGCCTCGGTGGCCCTGACTGTCAGGGAGGGCCAGGGAGGCAGAG
CGGGAGGGAGTCTCAGGAGGAGGCTGCCCTGAGGGGCTGGGGAGGGGGTACCTCATGAGGACCA
GGGTGGAGCTGAGAAGAGGAGGAGGTGGGGGCTGGAGGTGCTGGTAGCTGAGGGGACGGGCAAG
TGAGAGGGGAGGGAGGGAAGTCCTGGGAGGATCCTGAGCTGCTGTTGCAGTCTAACCCACTAAT
CAGTTCTTAGATTCAGGGGAAGGGCAGGCACCAACAACTCAGAATGGGGGCTTTCGGGGAGGGC
GCCTAGTCCCCCCAGCTCTAAGCAGCCAGGAGGGACCTGCATCTAAGCATCTGGGTTGCCATGG
CAATGGCATGCCCCCCAGCTACTGTATGCCCCCGACCCCCGCAGAGGCAGAATGAACCCATAGG

Fig. 4 cont.

GAGCTGATCGTAATGTTTATCATGTTACTTCCCCACCCCTACATTTTTTGAAATAAAATAAGGA
ATTTTATTCTCACTTCCTGTGTTTCCTGCACGCCAATGCCAGGCCATGGTATTGGGTGATAGAT
GAGGCCCTTCTAGCTGGGCCTGGGCACCAGGAGGGGTCCCCATGCTTGCATCTCTCTGTATCCC
CTCCCTCCCCTGTGGCCATCCCACCCGCCTCTCCCTGCTGCCTCTGAAATTCATTCTGGGGCCC
GGAACTTGGTGGAAATGACCCAAAAACATTGGCCCATCTTCCTCCTCTCAGCAGCCGACCCCAG
CCCAATTCTAAAACAGGGCTGAGAGCCACCTCTCAGCAGCTGACCCCTACCCAAGGAGGGTGGC
ATGGAGGGGCTTGCAGAGACTCTTCCTAACATCCTCCCCCCCCCAGCTGTCTCCCCAAGTGCAAT
CTGCCCTCCCATCCCTGGGCCAGCCAGCTTCCACAGAGCGCCAGGCCAAACAGAATTCCTGGCC
TCCTTGGAAGGGGCTGGAGAAGGCCGGGAGCAGTGGCTCACGCCTGTAATCCCAGCACTTTGGG
AGGCTGAGGCGGGCAGATCACAAAGTCAAGAGATTGAGACCATCCTGGCCAACATGGTGAAACC
CCGTCTCTACTAAAAATACAAAAATTAGGCCGGGTGCGGTGGCTCACGCCTGTAATCCCAGCAC
TTTGGGAGGCCGAGGCGGGCAGATCACGAGGTCAGGAGATCAAGACCATCCTGGCTAACACGGT
GAAACCCCGTCTCTACTAAAAATACAAAAAATTAGCTGGGCGAGGTGGCGGGTGCCTGTAGTCC
CAGCTACGTGGGAGGCTGAGGCAAGAGAATGGCGTGAACCCCGGCGGGGCAGAGCCTGCAGAGA
GCTGAGATCACACCACTGTACTCCAGCCTGGGCGACAGCGAGACTCCGTCTCAAAAAAAAAAAA
AAAAAAAATTAGCTGGGCATGGTGGTGCGTGCCTGCAGTCCCAGCTACTCAGGAGGCTGAGACG
GGAGAATCGCTTGAACCTGGGAGGCAGAGGTTGCAGTGAGCCAAGATCGCTCACTCCAGCCTAG
CGACAGAGTGAGACTCCATCTCAAATAAATAAATAAATTAATTAATTAAATTAAATT

Fig. 5

FADS3 cDNA

GGCCGCGGCGGCAGGGCGGGGCCGGAGCAGCGGGCGGCGGCGGAGGCGGCGCCCGGGAGCGCTC
TTCGCTTCCCTCGGGGTCTTGCTCGGACCTCGGCCACCGCCTGGGATCCCCAGGACTCGTGCGT
GCAGCATGGGCGGCGTCGGGGAGCCGGGACCGCGGGAGGGACCCGCGCAGCCGGGGGCACCGCT
GCCCACCTTCTGCTGGGAGCAGATCCGCGCGCACGACCAGCCCGGCGACAAGTGGCTGGTCATC
GAGCGCCGCGTCTACGACATCAGCCGCTGGGCACAGCGGCACCCAGGGGGCAGCCGCCTCATCG
GCCACCACGGCGCTGAGGACGCCACGGATGCCTTCCGTGCCTTCCATCAAGATCTCAATTTTGT
GCGCAAGTTCCTACAGCCCCTGTTGATTGGAGAGCTGGCTCCGGAAGAACCCAGCCAGGATGGA
CCCCTGAATGCGCAGCTGGTCGAGGACTTCCGAGCCCTGCACCAGGCAGCCGAGGACATGAAGC
TGTTTGATGCCAGTCCCACCTTCTTTGCTTTCCTACTGGGCCACATCCTGGCCATGGAGGTGCT
GGCCTGGCTCCTTATCTACCTCCTGGGTCCTGGCTGGGTGCCCAGTGCCCTGGCCGCCTTCATC
CTGGCCATCTCTCAGGCTCAGTCCTGGTGTCTGCAGCATGACCTGGGCCATGCCTCCATCTTCA
AGAAGTCCTGGTGGAACCACGTGGCCCAGAAGTTCGTGATGGGGCAGCTAAAGGGCTTCTCCGC
CCACTGGTGGAACTTCCGCCACTTCCAGCACCACGCCAAGCCCAACATCTTCCACAAAGACCCA
GACGTGACGGTGGCGCCCGTCTTCCTCCTGGGGGAGTCATCCGTCGAGTATGGCAAGAAGAAAC
GCAGATACCTACCCTACAACCAGCAGCACCTGTACTTCTTCCTGATCGGCCCGCCGCTGCTCAC
CCTGGTGAACTTTGAAGTGGAAAATCTGGCGTACATGCTGGTGTGCATGCAGTGGGCGGATTTG
CTCTGGGCCGCCAGCTTCTATGCCCGCTTCTTCTTATCCTACCTCCCCTTCTACGGCGTCCCTG
GGGTGCTGCTCTTCTTTGTTGCTGTCAGGGTCCTGGAAAGCCACTGGTTCGTGTGGATCACACA
GATGAACCACATCCCCAAGGAGATCGGCCACGAGAAGCACCGGGACTGGGTCAGCTCTCAGCTG
GCAGCCACCTGCAACGTGGAGCCCTCACTTTTCACCAACTGGTTCAGCGGGCACCTCAACTTCC
AGATCGAGCACCACCTCTTCCCCAGGATGCCGAGACACAACTACAGCCGGGTGGCCCCGCTGGT
CAAGTCGCTGTGTGCCAAGCACGGCCTCAGCTACGAAGTGAAGCCCTTCCTCACCGCGCTGGTG
GACATCGTCAGGTCCCTGAAGAAGTCTGGTGACATCTGGCTGGACGCCTACCTCCATCAGTGAA
GGCAACACCCAGGCGGGCAGAGAAGGGCTCAGGGCACCAGCAACCAAGCCAGCCCCGGCGGGAT
CGATACCCCCACCCCTCCACTGGCCAGCCTGGGGGTGCCCTGCCTGCCCTCCTGGTACTGTTGT
CTTCCCCTCGGCCCCCTCACATGTGTATTCAGCAGCCCTATGGCCTTGGCTCTGGGCCTGATGG
GACAGGGGTAGAGGGAAGGTGAGCATAGCACATTTTCCTAGAGCGAGAATTGGGGGAAAGCTGT
TATTTTTATATTAAAATACATTCAGATGT

Fig. 6

FADS1

```
Met Ala Pro Asp Pro Val Ala Ala Glu Thr Ala Ala Gln Gly Pro Thr
1               5                  10                  15

Pro Arg Tyr Phe Thr Trp Asp Glu Val Ala Gln Arg Ser Gly Cys Glu
            20                  25                  30

Glu Arg Trp Leu Val Ile Asp Arg Lys Val Tyr Asn Ile Ser Glu Phe
        35                  40                  45

Thr Arg Arg His Pro Gly Gly Ser Arg Val Ile Ser His Tyr Ala Gly
    50                  55                  60

Gln Asp Ala Thr Asp Pro Phe Val Ala Phe His Ile Asn Lys Gly Leu
65                  70                  75                  80

Val Lys Lys Tyr Met Asn Ser Leu Leu Ile Gly Glu Leu Ser Pro Glu
                85                  90                  95

Gln Pro Ser Phe Glu Pro Thr Lys Asn Lys Glu Leu Thr Asp Glu Phe
            100                 105                 110

Arg Glu Leu Arg Ala Thr Val Glu Arg Met Gly Leu Met Lys Ala Asn
        115                 120                 125

His Val Phe Phe Leu Leu Tyr Leu Leu His Ile Leu Leu Leu Asp Gly
    130                 135                 140

Ala Ala Trp Leu Thr Leu Trp Val Phe Gly Thr Ser Phe Leu Pro Phe
145                 150                 155                 160

Leu Leu Cys Ala Val Leu Leu Ser Ala Val Gln Ala Gln Ala Gly Trp
                165                 170                 175

Leu Gln His Asp Phe Gly His Leu Ser Val Phe Ser Thr Ser Lys Trp
            180                 185                 190

Asn His Leu Leu His His Phe Val Ile Gly His Leu Lys Gly Ala Pro
        195                 200                 205

Ala Ser Trp Trp Asn His Met His Phe Gln His His Ala Lys Pro Asn
    210                 215                 220

Cys Phe Arg Lys Asp Pro Asp Ile Asn Met His Pro Phe Phe Phe Ala
225                 230                 235                 240

Leu Gly Lys Ile Leu Ser Val Glu Leu Gly Lys Gln Lys Lys Lys Tyr
                245                 250                 255

Met Pro Tyr Asn His Gln His Lys Tyr Phe Phe Leu Ile Gly Pro Pro
            260                 265                 270

Ala Leu Leu Pro Leu Tyr Phe Gln Trp Tyr Ile Phe Tyr Phe Val Ile
        275                 280                 285
```

Fig. 6 cont.

```
Gln Arg Lys Lys Trp Val Asp Leu Ala Trp Met Ile Thr Phe Tyr Val
    290                 295                 300

Arg Phe Phe Leu Thr Tyr Val Pro Leu Leu Gly Leu Lys Ala Phe Leu
305                 310                 315                 320

Gly Leu Phe Phe Ile Val Arg Phe Leu Glu Ser Asn Trp Phe Val Trp
                325                 330                 335

Val Thr Gln Met Asn His Ile Pro Met His Ile Asp His Asp Arg Asn
            340                 345                 350

Met Asp Trp Val Ser Thr Gln Leu Gln Ala Thr Cys Asn Val His Lys
        355                 360                 365

Ser Ala Phe Asn Asp Trp Phe Ser Gly His Leu Asn Phe Gln Ile Glu
    370                 375                 380

His His Leu Phe Pro Thr Met Pro Arg His Asn Tyr His Lys Val Ala
385                 390                 395                 400

Pro Leu Val Gln Ser Leu Cys Ala Lys His Gly Ile Glu Tyr Gln Ser
                405                 410                 415

Lys Pro Leu Leu Ser Ala Phe Ala Asp Ile Ile His Ser Leu Lys Glu
            420                 425                 430

Ser Gly Gln Leu Trp Leu Asp Ala Tyr Leu His Gln
        435                 440
```

Fig. 7

FADS2

```
Met Gly Lys Gly Gly Asn Gln Gly Glu Gly Ala Ala Glu Arg Glu Val
1               5                  10                  15

Ser Val Pro Thr Phe Ser Trp Glu Glu Ile Gln Lys His Asn Leu Arg
            20                  25                  30

Thr Asp Arg Trp Leu Val Ile Asp Arg Lys Val Tyr Asn Ile Thr Lys
        35                  40                  45

Trp Ser Ile Gln His Pro Gly Gly Gln Arg Val Ile Gly His Tyr Ala
    50                  55                  60

Gly Glu Asp Ala Thr Asp Ala Phe Arg Ala Phe His Pro Asp Leu Glu
65                  70                  75                  80

Phe Val Gly Lys Phe Leu Lys Pro Leu Leu Ile Gly Glu Leu Ala Pro
                85                  90                  95

Glu Glu Pro Ser Gln Asp His Gly Lys Asn Ser Lys Ile Thr Glu Asp
            100                 105                 110

Phe Arg Ala Leu Arg Lys Thr Ala Glu Asp Met Asn Leu Phe Lys Thr
        115                 120                 125

Asn His Val Phe Phe Leu Leu Leu Leu Ala His Ile Ile Ala Leu Glu
    130                 135                 140

Ser Ile Ala Trp Phe Thr Val Phe Tyr Phe Gly Asn Gly Trp Ile Pro
145                 150                 155                 160

Thr Leu Ile Thr Ala Phe Val Leu Ala Thr Ser Gln Ala Gln Ala Gly
                165                 170                 175

Trp Leu Gln His Asp Tyr Gly His Leu Ser Val Tyr Arg Lys Pro Lys
            180                 185                 190

Trp Asn His Leu Val His Lys Phe Val Ile Gly His Leu Lys Gly Ala
        195                 200                 205

Ser Ala Asn Trp Trp Asn His Arg His Phe Gln His His Ala Lys Pro
    210                 215                 220

Asn Ile Phe His Lys Asp Pro Asp Val Asn Met Leu His Val Phe Val
225                 230                 235                 240

Leu Gly Glu Trp Gln Pro Ile Glu Tyr Gly Lys Lys Lys Leu Lys Tyr
                245                 250                 255

Leu Pro Tyr Asn His Gln His Glu Tyr Phe Phe Leu Ile Gly Pro Pro
            260                 265                 270

Leu Leu Ile Pro Met Tyr Phe Gln Tyr Gln Ile Ile Met Thr Met Ile
        275                 280                 285
```

Fig. 7 cont.

```
Val His Lys Asn Trp Val Asp Leu Ala Trp Ala Val Ser Tyr Tyr Ile
    290                 295                 300

Arg Phe Phe Ile Thr Tyr Ile Pro Phe Tyr Gly Ile Leu Gly Ala Leu
305                 310                 315                 320

Leu Phe Leu Asn Phe Ile Arg Phe Leu Glu Ser His Trp Phe Val Trp
                325                 330                 335

Val Thr Gln Met Asn His Ile Val Met Glu Ile Asp Gln Glu Ala Tyr
            340                 345                 350

Arg Asp Trp Phe Ser Ser Gln Leu Thr Ala Thr Cys Asn Val Glu Gln
        355                 360                 365

Ser Phe Phe Asn Asp Trp Phe Ser Gly His Leu Asn Phe Gln Ile Glu
    370                 375                 380

His His Leu Phe Pro Thr Met Pro Arg His Asn Leu His Lys Ile Ala
385                 390                 395                 400

Pro Leu Val Lys Ser Leu Cys Ala Lys His Gly Ile Glu Tyr Gln Glu
                405                 410                 415

Lys Pro Leu Leu Arg Ala Leu Leu Asp Ile Ile Arg Ser Leu Lys Lys
            420                 425                 430

Ser Gly Lys Leu Trp Leu Asp Ala Tyr Leu His Lys
        435                 440
```

Fig. 8

FADS3

```
Met Gly Gly Val Gly Glu Pro Gly Pro Arg Glu Gly Pro Ala Gln Pro
1               5                  10                  15

Gly Ala Pro Leu Pro Thr Phe Cys Trp Glu Gln Ile Arg Ala His Asp
            20                  25                  30

Gln Pro Gly Asp Lys Trp Leu Val Ile Glu Arg Arg Val Tyr Asp Ile
        35                  40                  45

Ser Arg Trp Ala Gln Arg His Pro Gly Gly Ser Arg Leu Ile Gly His
    50                  55                  60

His Gly Ala Glu Asp Ala Thr Asp Ala Phe Arg Ala Phe His Gln Asp
65                  70                  75                  80

Leu Asn Phe Val Arg Lys Phe Leu Gln Pro Leu Leu Ile Gly Glu Leu
                85                  90                  95

Ala Pro Glu Glu Pro Ser Gln Asp Gly Pro Leu Asn Ala Gln Leu Val
            100                 105                 110

Glu Asp Phe Arg Ala Leu His Gln Ala Ala Glu Asp Met Lys Leu Phe
        115                 120                 125

Asp Ala Ser Pro Thr Phe Phe Ala Phe Leu Leu Gly His Ile Leu Ala
    130                 135                 140

Met Glu Val Leu Ala Trp Leu Leu Ile Tyr Leu Leu Gly Pro Gly Trp
145                 150                 155                 160

Val Pro Ser Ala Leu Ala Ala Phe Ile Leu Ala Ile Ser Gln Ala Gln
                165                 170                 175

Ser Trp Cys Leu Gln His Asp Leu Gly His Ala Ser Ile Phe Lys Lys
            180                 185                 190

Ser Trp Trp Asn His Val Ala Gln Lys Phe Val Met Gly Gln Leu Lys
        195                 200                 205

Gly Phe Ser Ala His Trp Trp Asn Phe Arg His Phe Gln His His Ala
    210                 215                 220

Lys Pro Asn Ile Phe His Lys Asp Pro Asp Val Thr Val Ala Pro Val
225                 230                 235                 240

Phe Leu Leu Gly Glu Ser Ser Val Glu Tyr Gly Lys Lys Lys Arg Arg
                245                 250                 255

Tyr Leu Pro Tyr Asn Gln Gln His Leu Tyr Phe Phe Leu Ile Gly Pro
            260                 265                 270

Pro Leu Leu Thr Leu Val Asn Phe Glu Val Glu Asn Leu Ala Tyr Met
        275                 280                 285
```

Fig. 8 cont.

```
Leu Val Cys Met Gln Trp Ala Asp Leu Leu Trp Ala Ala Ser Phe Tyr
    290                 295                 300

Ala Arg Phe Phe Leu Ser Tyr Leu Pro Phe Tyr Gly Val Pro Gly Val
305                 310                 315                 320

Leu Leu Phe Phe Val Ala Val Arg Val Leu Glu Ser His Trp Phe Val
                325                 330                 335

Trp Ile Thr Gln Met Asn His Ile Pro Lys Glu Ile Gly His Glu Lys
            340                 345                 350

His Arg Asp Trp Val Ser Ser Gln Leu Ala Ala Thr Cys Asn Val Glu
        355                 360                 365

Pro Ser Leu Phe Thr Asn Trp Phe Ser Gly His Leu Asn Phe Gln Ile
    370                 375                 380

Glu His His Leu Phe Pro Arg Met Pro Arg His Asn Tyr Ser Arg Val
385                 390                 395                 400

Ala Pro Leu Val Lys Ser Leu Cys Ala Lys His Gly Leu Ser Tyr Glu
                405                 410                 415

Val Lys Pro Phe Leu Thr Ala Leu Val Asp Ile Val Arg Ser Leu Lys
            420                 425                 430

Lys Ser Gly Asp Ile Trp Leu Asp Ala Tyr Leu His Gln
        435                 440                 445
```

Fig. 9

Oligonucleotide primers to amplify FADS1 cDNA

TU12-R5 (5'-CGCCTGACAGCCCCTGCT-3')
TU12-F10 (5'-CAGGTGGCCAATCACAAAAT-3')

TU12-R7 (5'-CTCAAAGTGGAACCATCTGCTA-3')
TU12-F9 (5'-GGAAACCCAGTCCATGTTCC-3')

TU12-R6 (5'-CCTGGGCCTTTTCTTCATAGT-3')
TU12-F5 (5'-CTCAAGCTCCCCTCTGCCT-3')

Oligonucleotide primers to amplify FADS2 cDNA

TU13-R4 (5'-TCAGAAGCATAACCTGCGC-3')
TU13-F7 (5'-CCAGTTCACCAATCAGCAGG-3')

TU13-R3 (5'-CCCCTGCTGATTGGTGAACT-3')
TU13-F4 (5'-TGTAGGGCAGGTATTTCAGC-3')

TU13-R2 (5'-AGCCCATCGAGTACGGCAA-3')
TU13-F1 (5'-CCTCAGAACAAAAGCCCATC-3')

Oligonucleotide primers to amplify FADS3 cDNA

TU19-R2 (5'-TCTTGCTCGGACCTCGGC-3')
TU19-F2 (5'-GTGATCCACACGAACCAGTG-3')

TU19-R3 (5'-GAAGAACCCAGCCAGGATG-3')
TU19-F3 (5'-ACAGCTTTCCCCCAATTCTC-3')

European Patent Office

PARTIAL EUROPEAN SEARCH REPORT

which under Rule 45 of the European Patent Convention shall be considered, for the purposes of subsequent proceedings, as the European search report

Application Number EP 99 10 4664

DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
X	"AC AI394672" EMBL DATABASE, 5 February 1999 (1999-02-05), XP002111712 Heidelberg * the whole document * ---	1-12	C12N15/53 C12N15/11 C12N15/85 C12N9/02 C12N5/10 C12Q1/02
X	WO 98 46763 A (THURMOND JENNIFER ;CALGENE LLC (US); ABBOTT LAB (US); KNUTZON DEBO) 22 October 1998 (1998-10-22) * see esp. SEQ ID NOs: 27-40 ---	1-12,17, 18	C07K16/40 A61K39/395 A61K38/44 A01K67/027 G01N33/50
X	CHO H P ET AL: "Cloning, expression, and nutritional regulation of the mammalian Delta-6 desaturase." JOURNAL OF BIOLOGICAL CHEMISTRY, (1999 JAN 1) 274 (1) 471-7. , XP002111713 * the whole document * ---	1-12,17, 18	G01N33/53
X	"AC O60426" EMBL DATABASE,1 August 1998 (1998-08-01), XP002111714 Heidelberg * the whole document * --- -/--	7-10	

TECHNICAL FIELDS SEARCHED (Int.Cl.7)

C12N
C12Q
C07K
A61K
A01K
G01N

INCOMPLETE SEARCH

The Search Division considers that the present application, or one or more of its claims, does/do not comply with the EPC to such an extent that a meaningful search into the state of the art cannot be carried out, or can only be carried out partially, for these claims

Claims searched completely :

Claims searched incompletely

Claims not searched :

Reason for the limitation of the search:

see sheet C

Place of search	Date of completion of the search	Examiner
THE HAGUE	10 August 1999	Kania, T

CATEGORY OF CITED DOCUMENTS

X : particularly relevant if taken alone
Y : particularly relevant if combined with another document of the same category
A : technological background
O : non-written disclosure
P : intermediate document

T : theory or principle underlying the invention
E : earlier patent document, but published on, or after the filing date
D : document cited in the application
L : document cited for other reasons

& : member of the same patent family, corresponding document

EPO FORM 1503 03.82 (P04C07)

European Patent Office

INCOMPLETE SEARCH
SHEET C

Application Number
EP 99 10 4664

Although claim 17 is directed to a method of treatment of the human/animal body (Article 52(4) EPC), the search has been carried out and based on the alleged effects of the compound/composition.

Claim(s) searched incompletely:
16

Reason for the limitation of the search:

Claims 14 and 15 were only interpreted and searched with reference to the use of the present molecules and vectors in these assays.
Claim 16 could not be searched completely due to the lack of characterization of the claimed subject matter.

European Patent Office

Application Number
EP 99 10 4664

CLAIMS INCURRING FEES

The present European patent application comprised at the time of filing more than ten claims.

☐ Only part of the claims have been paid within the prescribed time limit. The present European search report has been drawn up for the first ten claims and for those claims for which claims fees have been paid, namely claim(s):

☐ No claims fees have been paid within the prescribed time limit. The present European search report has been drawn up for the first ten claims.

LACK OF UNITY OF INVENTION

The Search Division considers that the present European patent application does not comply with the requirements of unity of invention and relates to several inventions or groups of inventions, namely:

see sheet B

☐ All further search fees have been paid within the fixed time limit. The present European search report has been drawn up for all claims.

☒ As all searchable claims could be searched without effort justifying an additional fee, the Search Division did not invite payment of any additional fee.

☐ Only part of the further search fees have been paid within the fixed time limit. The present European search report has been drawn up for those parts of the European patent application which relate to the inventions in respect of which search fees have been paid, namely claims:

☐ None of the further search fees have been paid within the fixed time limit. The present European search report has been drawn up for those parts of the European patent application which relate to the invention first mentioned in the claims, namely claims:

European Patent Office

LACK OF UNITY OF INVENTION
SHEET B

Application Number
EP 99 10 4664

The Search Division considers that the present European patent application does not comply with the requirements of unity of invention and relates to several inventions or groups of inventions, namely:

1. Claims: 1-18 partially

An isolated polynucleotide selected from the group consisting of
polynucleotides having at least 65%, preferably 80% homology with a polynucleotide encoding a polypeptide of SEQ ID NO:4, comprising variants, under stringent conditions hybridizing molecules, complementary molecules, and oligonucleotides comprising at least 15 consecutive nucleotides of said sequence, preferably the polynucleotide of SEQ ID NO:1.
Vectors, host cells, and transgenic organisms comprising said sequences.
A polypeptide comprising a sequence having at least 65%, more preferably 85% homology to SEQ ID NO:4, variants thereof, and a peptide comprising at least 15 consecutive amino acids thereof. A process for producing said polypeptide using said host cells and DNA sequences.
Antibodies against said polypeptides, and their use in diagnosis and therapy.
An oligonucleotide primer having a sequence selected from the group of nucleotide sequences of SEQ ID NOs:7-12.
A method of screening for modulators in known assays using constructs or of screening for interacting proteins or factors using state of the art technologies, as well as a method of screening chemical libraries comprising transformed cell lines, both methods employing the said sequences, vectors, or host cells.
A compound which alters or reacts with at least one epitope of the proteins and which is obtained by said methods.
Pharmaceutical compositions comprising as an effective component an effective amount of said peptides.

2. Claims: 1-18 partially

idem for SEQ ID NOs:2,5,13-18

3. Claims: 1-18 partially

idem for SEQ ID NOs:3,6,19-22

European Patent Office

PARTIAL EUROPEAN SEARCH REPORT

Application Number
EP 99 10 4664

DOCUMENTS CONSIDERED TO BE RELEVANT			CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	
X	"AC 060427" EMBL DATABASE,1 August 1998 (1998-08-01), XP002111715 Heidelberg * the whole document * ---	7-10	
A	OLGA SAYANOVA ET AL: "Expression of a borage desaturase cDNA containing an N-terminal cytochrome b5 domain results in the accumulation of hig levels of Delta6-desaturated fatty acids in transgenic tobacco" PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF USA, vol. 94, no. 94, 15 April 1997 (1997-04-15), pages 4211-4216 4216, XP002106758 ISSN: 0027-8424 * the whole document * ---	1-18	TECHNICAL FIELDS SEARCHED (Int.Cl.7)
A	MITCHELL, ANDREW G. ET AL: "A novel cytochrome b-5-like domain is linked to the carboxyl terminus of the Saccharomyces cerevisiae DELTA-9 fatty acid desaturase." JOURNAL OF BIOLOGICAL CHEMISTRY, (1995) VOL. 270, NO. 50, PP. 29766-29772 , XP002111716 * the whole document * ---	1-18	
A	WO 96 02561 A (GEN HOSPITAL CORP ;GENETICS INST (US)) 1 February 1996 (1996-02-01) * the whole document * ---	14,16	
A	WO 99 04262 A (MYELOS NEUROSCIENCES CORP) 28 January 1999 (1999-01-28) * see esp. claims * -----	15,16	

EPO FORM 1503 03.82 (P04C10)

ANNEX TO THE EUROPEAN SEARCH REPORT ON EUROPEAN PATENT APPLICATION NO. EP 99 10 4664

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

10-08-1999

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9846763 A	22-10-1998	AU 6961698 A	11-11-1998
		AU 7114798 A	11-11-1998
		WO 9846764 A	22-10-1998
WO 9602561 A	01-02-1996	EP 0773952 A	21-05-1997
		JP 10504713 T	12-05-1998
WO 9904262 A	28-01-1999	AU 8480798 A	10-02-1999

EPO FORM P0459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82